

2024



0114 229 3080

e sales@bi-direct.co.uk w bi-direct.co.uk





**Phoenix Safe Company** is one of the oldest UK manufacturers of safes and security products and can trace its history back to Liverpool in 1799.

In 1986, when Phoenix Safe Co was formed the aim was to design and manufacture advanced fire resistant safes to protect the new wealth of data information being produced by computers. The vital importance and catastrophic consequences of the loss of this information demanded a new approach to fire protection.



We are now a world leader, manufacturing and distributing a wide range of state of the art safes to suit all requirements, ranging from residential to commercial security and fire protection.

We specialise in vital records protection for both paper and computer media. All of our fire resistant files and safes carry a life-time after-the-fire replacement warranty.

We have an extensive range of traditional security safes also, designed to protect cash and valuables from £1,000 to £1m as well as a comprehensive range of Steel Storage products.

We welcome the opportunity to help you secure your most important items!

#### **INDEX**













LUXURY SAFES		
LS6010 SERIES	- SPECTRUM PLUS	5
LS7010 SERIES	- NEXT PLUS LUXURY SAFE	6
FIRE SAFES		
FS1280 SERIES	- TITAN	
FS1290 SERIES	– TITAN AQUA	
FS0440 SERIES	- FIRE FIGHTER	
FS1510 S1 SERIES	- FIRE RANGER	
FS1910 SERIES	- FIRE COMMANDER	
FS1920 SERIES	- FIRE COMMANDER PRO	12
FIRE FILES		
FS2250 SERIES	- WORLD CLASS VERTICAL FIRE FILE	
FS2270 SERIES	- WORLD CLASS VERTICAL FIRE FILE	
FS2410 SERIES	- WORLD CLASS LATERAL FIRE FILE	15
DATA SAFES		
DS2000 SERIES	- DATACARE	
DS2500 SERIES	- DATA COMBI	
DS4620 SERIES	- DATA COMMANDER	18
BATTERY STORAGE	DATTERY TITAN	
BS1280 SERIES	- BATTERY TITAN	
BS0440 SERIES	- BATTERY FIGHTER	
BS1930 SERIES	- BATTERY COMMANDER	21
SECURITY SAFES	00440407 110445 0 055105 04550	
SS0721 SERIES	- COMPACT HOME & OFFICE SAFES	
DREAM SERIES	- HOME SAFES	
SS0800 SERIES	- VELA HOME & OFFICE SAFES	24
SS0300 SERIES	- DIONE HOTEL & LAPTOP SAFES	
SS1160 SERIES	- SECURSTORE	
SS1180 SERIES	- FORTRESS	
SS1440 SERIES	- FORTRESS PRO	
SS1620 SERIES	– FIREFOX	29
HIGH SECURITY SAFES	VENUIO	
HS0670 SERIES	- VENUS	
HS1050 SERIES	- NEPTUNE	
	- MERCURY/ELARA	
HS6070/HS9070 SERIES	- PLANET/COSMOS	33
VAULTS	DEMOLINITA DI E OTDONIO DOCIMO O MALIIT DOCIDO	
HYPERION SERIES	- DEMOUNTABLE STRONG-ROOMS & VAULT DOORS	34
SAFETY DEPOSIT LOCKER	iS	
	- SAFETY DEPOSIT LOCKERS	3
DEPOSIT SAFES	VELA DEDOCITIONAE & OFFICE CAFEC	
SS0800 SERIES	- VELA DEPOSIT HOME & OFFICE SAFES	
SS0991	- UNDER COUNTER NOTE DEPOSIT SAFE	
SS0992	- CASHIER DAY DEPOSIT SAFE	
SS0990 SERIES	- CASHIER DEPOSIT	
HS1090 SERIES	- DIAMOND DEPOSIT	
UNDERFLOOR SAFES	TARVOS LINDEREI COR CAFEG (COLLARE ROOR)	
UF0600 SERIES	- TARVOS - UNDERFLOOR SAFES (SQUARE DOOR)	
UF0900 SERIES	- CHARON - UNDERFLOOR SAFES (ROUND DOOR)	4
GUN SAFES	LAGERTA CUIN CAFEG	
GS8000 SERIES	- LACERTA GUN SAFES	42
GS8015 SERIES	- TUCANA GUN SAFES	
GS8020 SERIES	- RIGEL GUN SAFES	44
KEY & CASH BOXES	OACH BOYES	4.5
CB0100 SERIES	- CASH BOXES	
KC0020 SERIES	- KEY BOXES	45
KS SERIES	- KEY STORE	40
KS0210 SERIES	- PALM CYGNUS KEY DEPOSIT SAFES	
KS0030 SERIES		
KS0040 SERIES	- FORTRESS KEY SAFES	49
KC0600 SERIES	- COMMERCIAL KEY CABINETS	
KC0300 SERIES	- DEEP KEY CABINETS	
KC0500 SERIES	- DEEP PLUS & KEY PADLOCK CABINETS	
KC0070 SERIES	- EXTRA SECURITY KEY CABINETS	
KC0080 SERIES LETTER & PARCEL BOXES	- KEY CONTROL CABINETS	53
	- ESTILO LETTER BOXES	-
MB0120 SERIES		
PB0580 SERIES	- PARCEL BOX	5t

#### **TEST SPECIFICATION**

FIRE TEST STANDARDS – The fire test standards below require that the critical maximum temperature of the following media cannot be exceeded (a) Paper Records – 175°C (b) Digital Media – 120°C (c) Computer Data – 52°C.

NT FIRE 017-60 Paper – Requires safe to be heated to 945°C for 1 hour. The maximum temperature inside the cabinet shall not exceed 175°C.

NT FIRE 017-90 Paper – Requires safe to be heated to 1050°C for 90 minutes. The maximum temperature inside the cabinet shall not exceed 175°C.

NT FIRE 017-120 Dis – Requires safe to be heated to 1090°C for 2 hours. The maximum temperature inside the cabinet shall not exceed 52°C.

NT FIRE 017-120 Paper - Requires safe to be heated to 1090°C for 2 hours. The maximum temperature inside the cabinet shall not exceed 175°C.

EN1047-120 Dis - Requires safe to be heated to over 1100°C for 2 hours. Internal temperature shall not exceed 52°C.

**EN1143-1** – The European norm for resistance to burglary attack with various resistance grades up to Grade 10.

 $\begin{tabular}{ll} EN14450-S1 - The European norm for resistance to burglary attack. Grade S1. \end{tabular}$ 

EN14450-S2 - The European norm for resistance to burglary attack. Grade S2.

**EN14470-1** Fire safety storage cabinets — Part 1: Safety storage cabinets for flammable liquids.

BS EN 1634-1 - Withstanding fire attack means not allowing flames or hot gases to pass.

LFS 30P, LFS 60P-EN 15659 - Light Fire Resistance where the internal temperature will not exceed 175°C.

MTC DIP 120-60DM (Grade B) - Digital Media fire protection where the internal temperature will not exceed 120°C.

#### BS 7558:1992 Specification for gun cabinets

Requirements for the construction and security of cabinets intended for the secure storage of firearms and ammunition.

#### WARRANTY/INSURANCE

All phoenix Fire safes come with a free lifetime 'after the fire' replacement warranty and a full 2 year onsite materials and labour warranty. A lifetime warranty applies to KS Series Key Stores. All letter boxes have a 5 year guarantee. A 1 year onsite materials and labour warranty applies to the UF Series. A 2 year onsite materials and labour warranty applies to SS1160/80, SS0990, HS Series. All other products have a 1 year back to base warranty.

Insurance cover against burglary attack will vary due to location and circumstances. Please check with your underwriter.

































INSURANCE RATINGS Cash rating shown multiply by 10 for valuables



FINGERPRINT MECHANICAL COMBINATION
LOCK LOCK LOCK













### Fire Safes – Design and innovation





"60% of businesses that suffer a fire go out of business in the first year"

#### FIRE RESISTANCE

Patented Styronite F insulation provides great fire/heat resistance. Fire protection from 30 minutes to 2 hours for paper, digital media & data. Tested to highest European standards.



#### CONSTRUCTION

Double wall construction.

Drop tested for impact resistance from 9.1m. Recessed double curvature frames provide virtually airtight construction

Ready prepared for anchoring to the floor. Water resistant seals and intumescent stripping.

#### LOCKING

High security dimple & double bitted key locking, electronic locking, touchscreen keypad & fingerprint locking systems.

Advanced multipoint locking systems to securely seal doors.

Anti-Drill steel plating and Re-locking devices. Recessed double curvature frames working as dead bolts.

#### PAINT FINISH

Highest quality urethan antirust primer coated. Durable acrylic urethane leather-tone finish makes the surface more smooth and bright, preventing scratches and providing extreme durability.

Top quality galvanized steel plate and antirust durable paint keep our safes rust free.

Every safe is cleaned rigorously to remove any foreign particles before painting.

#### AUTOMATIC SLAM SHUT LOCKING

Handle snaps into position automatically when the door is closed.

#### **OPTIONS**

Blank or cut keys, dual locking, advanced electronic & fingerprint locking.

Fully adjustable shelves, media drawers, filing cradles & internal coffers.

Internal LED lighting.

Data Protection Inserts for computer media & data tapes.

#### **WARRANTY & GDPR COMPLIANCE**

2 Year manufacturers warranty and a free Lifetime 'After-the-Fire' replacement warranty.

Maintain GDPR Compliance by keeping vital records secure and protected.

















## LS6010 SERIES SPECTRUM PLUS





Titanium Black (B)



Metallic Silver (S)



Champagne Gold (G)





THE PHOENIX SPECTRUM PLUS LS6010 SERIES is an ultra-modern safe designed to protect documents and valuables from fire and theft. The Spectrum Plus's effortlessly attractive design is available with a range of coloured, brushed stainless steel door panels, allowing you to choose a colour to compliment any interior.

- FIRE PROTECTION (PAPER) Tested to the Swedish NT Fire 017-60 Paper (LS6011F), NT Fire 017-90 Paper (LS6012F) providing up to 90 minutes fire protection for paper documents.
- FIRE PROTECTION (DIGITAL MEDIA) Tested to MTC DIP120-60DM fire test standard, providing 60 minutes fire protection for digital media, DVD's, USB's, memory sticks and hard drives.
- LOCKING Fitted with an advanced high security touch screenkeypad & fingerprint lock with clear LED display, dual control, muti-user control, hidden code and scrambled code that can be programmed as standard with up to 32 fingerprints.
- SECURITY PROTECTION Recommended overnight cash risk of £2,000 or £20,000 valuables\*.
- FIXING Ready prepared for floor fixing with fixing bolts for concrete supplied.

- **DROP TEST** Drop tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building or the collapse of the building.
- LIGHTING Fitted with a bright LED interior light so the contents can be easily seen.
- SPECIAL FEATURES Supplied with four internal key hooks, a pull out drawer and a height adjustable shelf.
- COLOUR The Spectrum is finished in a high quality scratch resistant dark grey, with interchangeable Stainless Steel door panels available in 3 colours.

**CHANGEABLE** 



MODEL NUMBER		PANEL EXTERNAL DIMENSIONS INTERNAL DIMENSIONS COLOUR H x W x D H x W x D		DOOR SWING	WEIGHT	CAPACITY	SHELVES / DRAWER / INTERNAL KEY HOOKS		
LS6011F	•	•	•	515 x 405 x 470mm	410 x 300 x 300mm <sup>+</sup>	410mm	60kg	36 Litres	1/1/4
LS6012F	G	S	В	640 x 500 x 530mm	515 x 380 x 330mm <sup>+</sup>	505mm	100kg	64 Litres	1/1/4

<sup>+</sup> Internal drawer reduces internal height by 50mm (LS6011F) and 95mm (LS6012F). All weights are for the product only and does not include the packaging.

















<sup>\*</sup> Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



## LS7010 SERIES NEXT PLUS LUXURY SAFE



**THE PHOENIX NEXT PLUS SERIES** is a masterpiece in Design, Security and Fire Protection. Available in a range of stylish colour options using Graphite Grey & Cream Top & Bottom door panels. It also features a slide and hide lock panel for extra security. The safe is ideal for modern office and homes when the need for discreet protection is required.

- FIRE PROTECTION (PAPER) Tested to the International NT Fire 017-90 Paper standard, providing 90 minutes fire protection for paper documents.
- SECURITY PROTECTION The safe is recommended for an overnight cash risk of £3,000 or £30,000 valuables\*.
- LOCKING Fitted with an advanced high security fingerprint and touch panel lock. The lock can store up to 32 different fingerprints. The clear LED display also makes operating the lock extremely easy with a 4-16 digit user code. To further enhance security, the lock also features tamper lockout, internal alarm, dual control, hidden code and unlimited scrambled code and low battery indication as standard.
- FIXING Ready prepared for floor fixing with fixing bolts for concrete supplied.
- FITTINGS Fitted with luxury drawers using pull out slide rails.
   Supplied with two 5mm thick tempered-glass height adjustable shelves.
- CONSTRUCTION The safe is locked with 4 way locking bolts, each bolt 32mm in diameter for extra strength. Strategic points like the lock and bolts are further protected by thick Anti-Drill steel plate and Re-locking device.

- DROP TEST Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- COLOUR/FINISH Stylish door panels available in Anthracite Grey & Cream. Body finished in a high gloss black.



MODEL NUMBER	COLOUR	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR Swing	WEIGHT	CAPACITY	SHELVES/ Drawer
LS7013FAA	Dark Grey panel Top and bottom	895 x 515 x 550mm	730 x 380 x 320mm	465mm	170kg	88 Litres	2/2
LS7013FCC	Cream panel top and bottom	895 x 515 x 550mm	730 x 380 x 320mm	465mm	170kg	88 Litres	2/2
LS7013FAC	Dark grey top panel and Cream bottom panel	895 x 515 x 550mm	730 x 380 x 320mm	465mm	170kg	88 Litres	2/2
LS7013FCA	Cream top panel and Dark Grey bottom panel	895 x 515 x 550mm	730 x 380 x 320mm	465mm	170kg	88 Litres	2/2

\*Internal Drawer: 70x345x280mm. \*Height includes 50mm Plinth. All weights are for the product only and does not include the packaging.



















<sup>\*</sup> Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

### FS1280 SERIES TITAN FIRE AND SECURITY SAFE













THE PHOENIX TITAN is a modern, compact, fire and security resistant safe designed to meet the need for residential and business use.

- FIRE PROTECTION (PAPER) Tested to the International NT Fire 017-60 fire test standard, at the Swedish SP Testing Centre providing 60 minutes fire protection for paper documents.
- FIRE PROTECTION (DIGITAL MEDIA) Tested to MTC DIP120-60DM fire test standard, providing 60 minutes fire protection for digital media, DVD's, USB's, memory sticks and hard drives.
- LOCKING FS1280K Fitted with a high quality key lock supplied with two keys. FS1280E - Fitted with an advanced high security electronic lock with scrambled code as standard. FS1280F - Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, battery Indicator, internal alarm, multi user codes, dual mode, hidden code and scrambled code that can be programmed as standard with up to 32 fingerprints.
- **SECURITY PROTECTION** The safe is recommended for an overnight cash risk of £2,000 or £20,000 valuables\*.

- **DROP TEST** Drop tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building or the collapse of the building.
- FIXING Ready prepared for floor fixing, with fixing bolts for concrete floors supplied.
- SPECIAL FEATURES All models are supplied with four internal key hooks and a pull out drawer. Models FS1282 & FS1283 also have the added advantage of a height adjustable shelf.
- OPTIONAL Bright internal LED light to illuminate the interior of the safe (FS1280E only).
- COLOUR Finished in a high quality scratch resistant white paint RAL9003.
- GDPR Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING/ Handle Depth	WEIGHT	CAPACITY	SHELVES/ DRAWER/ INTERNAL KEY HOOKS
FS1281K/E/F	360 x 410 x 365mm	260 x 320 x 235mm	350mm/40mm	28kg	19 Litres	0/1/4
FS1282K/E/F	410 x 350 x 430mm	320 x 260 x 305mm	325mm/40mm	34kg	25 Litres	1/1/4
FS1283K/E/F	515 x 400 x 440mm	410 x 300 x 300mm	375mm/40mm	53kg	36 Litres	1/1/4





The internal drawer reduces internal height by 50mm. All weights are for the product only and does not include the packaging.



















<sup>\*</sup> Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



### **FS1290 SERIES TITAN AQUA**







THE PHOENIX TITAN AQUA is an ultra-modern and compact range of safes, designed to protect documents, digital media & valuables from fire, water and theft, ideal for residential and business use.

FS1293E

- FIRE PROTECTION (PAPER) 1hr fire protection for paper documents.
- FIRE PROTECTION (DIGITAL MEDIA) 1hr fire protection for digital media (DVD's, USB sticks & Hard Drives).
- WATER RESISTANT Up to 200mm of water for 24 hours.
- **LOCKING** Fitted with an advanced user friendly electronic lock with illuminating keypad, built-in alarm and key override facility
- SECURITY PROTECTION Recommended overnight cash risk of £2,000 or £20,000 valuables\*.
- **CONSTRUCTION** Large 25mm live locking bolts for added protection against attack.
- FIXING Ready prepared for floor fixing, with fixing bolts for concrete floors supplied.
- **LIGHTING** Fitted with a bright LED interior light so the contents can easily be seen, even in the most dimly lit cupboards.

- SPECIAL FEATURES All models are supplied with a height adjustable shelf, internal door pocket and have automatic slam shut door locking. FS1292E and FS1293E are fitted with 5 internal key hooks.
- **COLOUR** Finished in a high quality scratch resistant black paint.
- GDPR Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

MODEL NUMBER		INTERNAL DIMENSIONS H x W x D		WEIGHT	CAPACITY	SHELVES/ DRAWER/ INTERNAL KEY HOOKS
FS1291E	355 x 470 x 480mm	220 x 330 x 325mm	305mm/47mm	36kg	24 Litres	1/0/0
FS1292E	460 x 470 x 480mm	330 x 330 x 325mm	410mm/47mm	45kg	35 Litres	1/0/5
FS1293E	610 x 530 x 480mm	475 <sup>+</sup> x 385 x 325mm	550mm/47mm	62kg	60 Litres	1/1/5

<sup>&</sup>lt;sup>+</sup> The internal drawer reduces internal height by 50mm. All weights are for the product only and does not include the packaging.





















<sup>\*</sup> Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

## FS0440 SERIES FIRE FIGHTER











THE PHOENIX FIRE FIGHTER sets new standards for fire and security protection and is an ideal safe for small to medium sized enterprises.

- FIRE PROTECTION (PAPER) Tested to Swedish NT Fire 017-90 Paper (FS0441 & FS0442), NT Fire 017-120 Paper (FS0444), providing up to 120 minutes fire protection for paper documents.
- FIRE PROTECTION (DIGITAL MEDIA) Tested to MTC DIP120-60DM fire test standard, providing 60 minutes fire protection for digital media, DVD's, USB's, memory sticks and hard drives.
- **SECURITY PROTECTION** The safe is recommended for an overnight cash risk of £2,500 or £25,000 valuables\*.
- DROP TEST Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- FITTINGS Each safe comes complete with height adjustable shelf and lockable cash/valuables drawer.
- LOCKING FS0440K Fitted with a high quality key lock supplied with two keys. FS0440E – Fitted with an advanced high security electronic lock with clear LED display, dual control, hidden code & scrambled code that can be programmed as standard.

**FS0440F** – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, battery Indicator, internal alarm, multi user codes, dual mode, hidden code and scrambled code that can be programmed as standard with up to 32 fingerprints.

- FIXING Ready prepared for floor fixing with fixing bolts for concrete supplied.
- SPECIAL FEATURES Fitted with automatic slam shut door locking.
- COLOUR Finished in a high quality scratch resistant white paint RAL9003.
- GDPR Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.



**Internal Key Hooks** 

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D		DOOR SWING/ HANDLE DEPTH				LEVER ARCH FOLDER (H320xW75x290mm) Total no.of file per unit	FOOLSCAP LEVER ARCH FOLDER (H350xW80xD285mm) Total no.of file per unit	
FS0441K/	<b>E/F</b> 640 x 500 x 500mm	510 <sup>+</sup> x 375 x 330mm	440mm/40mm	93kg	63 Litres	1/1/3	5	4	5
	<b>E/F</b> 640 x 500 x 500mm <b>E/F</b> 820 x 520 x 520mm				63 Litres 84 Litres	1/1/3 1/1/3	5 10	4 4	5 5

This information is provided as a guide only. Actual capacities may vary depending on the storage method or shelving used.

<sup>&</sup>lt;sup>+</sup> The internal drawer reduces internal height by 95mm. All weights are for the product only and does not include the packaging.



















<sup>\*</sup> Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



### FS1510 S1 SERIES FIRE RANGER









FS1511E FS1513K FS1514 FS1512K

THE PHOENIX FIRE RANGER FS1510 SERIES sets new standards for protection against fire and burglary attack in an economic, convenient and attractive format.

- FIRE PROTECTION Provides 30 minutes fire protection for paper records at 500°C.
- SECURITY PROTECTION F\$1510K/E \$1 Tested to the prestigious European \$1 Security standard EN14450 giving cash cover of £2,000 or valuables cover of £20,000.
- LOCKING FS1510K S1 Fitted with high security double bitted VdS class I key lock. FS1510E S1 – Fitted with high security VdS class II electronic lock with dual control, master code & time delay.
- JCQ COMPLIANT Complies with the requirements set out by the Joint Council for Qualifications (JCQ) for the secure storage of question papers and any other confidential materials distributed to centres in advance of the examinations. (Applies to FS1510K S1 only).
- CONSTRUCTION High security 3 way espagnolette bolt work provides great strength and attack resistance.

- SPECIAL FEATURES Supplied with height adjustable shelves that also includes hanging rails for lateral files as standard.
- FIXING ready prepared for floor fixing, with fixing bolts for concrete supplied.
- COLOUR Finished in a high quality scratch resistant White paint RAL9003.
- FS1510K/E S1 Suitable for storage of controlled drugs whose active ingredients do not exceed 500 grams.



Optional Coffer\*\* (FS1512/13/14 only)

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING / HANDLE DEPTH	WEIGHT	CAPACITY S			FOOLSCAP LEVER ARCH FOLDER (H350xW80xD285mm) Total no.of file per unit	
FS1511K/E S1	1225 x 600 x 520mm	1080 x 505 x 410mm	575mm/50mm	66kg	224 Litres	2/1	18	18	12
FS1512K/E S1	1225 x 930 x 520mm	1080 x 815 x 410mm	415mm/50mm	87kg	361 Litres	2/2	30	30	20
FS1513K/E S1	1950 x 930 x 520mm	1810 x 815 x 410mm	455mm/50mm	133kg	605 Litres	4/2	50	50	40
FS1514K/E S1	1950 x 1250 x 520mm	1810 x 1135 x 410mm	595mm/50mm	190kg	843 Litres	4/2	75	70	60
Data Protection	Insert – FSDPI03 (FS15	12, FS1513 & FS1514	only)						
	300 x 515 x 360mm	170 x 370 x 230mm	-	20kg	14 Litres	-			

This information is provided as a guide only. Actual capacities may vary depending on the storage method or shelving used. \*\*Optional coffer reduces internal height by 385mm. All weights are for the product only and does not include the packaging.

















FS1510K S1 FS1510E S1
\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

## FS1910 SERIES FIRE COMMANDER





THE PHOENIX FIRE COMMANDER FS1910 SERIES offers unrivalled protection for documents, digital media, data (with FSDPI03) and cash.

- FIRE PROTECTION (PAPER) Tested to the Swedish NT Fire 017-120 Paper standard, providing 120 minutes fire protection for paper documents.
- FIRE PROTECTION (DIGITAL MEDIA) Tested to MTC DIP120-60DM Fire Test standard providing up to 60 minutes fire protection for DVDs, memory sticks and hard drives.
- **SECURITY PROTECTION** The safe is recommended for an overnight cash risk of £2,500 or £25,000 valuables.
- DROP TEST Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- LOCKING FS1910K Fitted with a high quality key lock supplied with two keys. FS1910E – Fitted with an advanced high security electronic lock with clear LED display, dual control, hidden code & scrambled code that can be programmed as standard.
- **FS1910F** Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, battery Indicator, internal alarm, multi user codes, dual mode, hidden code and scrambled code that can be programmed as standard with up to 32 fingerprints.
- SPECIAL FEATURES Supplied with height adjustable shelves that also includes hanging rails for lateral files as standard. Optional pull out shelves & drawers available.
- COLOUR Finished in a high quality scratch resistant white paint RAL9003.
- GDPR Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

MODEL NUMBER	EXTERNAL DIMENSION H x W x D	S INTERNAL DIMENSIONS H x W x D	DOOR SWING / HANDLE DEPTH	WEIGHT	CAPACITY			FOOLSCAP LEVER ARCH FOLDER (H350xW80xD285mm) Total no.of file per unit	
FS1911K/E/F	1160 x 690 x 650m	m 980 x 510 x 440mm	650mm/40mm	260kg	220 Litres	2/1	18	12	12
FS1912K/E/F	1685 x 690 x 650m	m 1505 x 510 x 440mm	470mm/40mm	340kg	338 Litres	3/1	24	24	24
FS1913KH/EH/FH	11865 x 950 x 650m	m 1685 x 770 x 440mm	650mm/40mm	485kg	571 Litres	3/2	50	36	40
FS1914K/E/F	1685 x 1125 x 650m	m 1505 x 945 x 440mm	560mm/40mm	554kg	626 Litres	3/2	48	44	40
Data Protection	Insert – FSDPI03 (FS	1913 & FS1914)							
	300 x 515 x 360mr	n 170 x 370 x 230mm	-	20kg	14 Litres	-			



















<sup>\*</sup> Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



### **FS1920 SERIES** FIRE COMMANDER PRO













THE PHOENIX FS1920 FIRE COMMANDER PRO series offers unrivalled protection for documents, data (with FSDPI03) and cash.

- FIRE PROTECTION (PAPER) Tested to the European LFS 60P Fire protection standard (EN15659 ECB.S Certified) giving 60 minutes fire protection for paper documents.
- APPROVALS UK Police approved (Secured by Design scheme) and the Association of Insurance Surveyors (AiS).
- **SECURITY PROTECTION** Tested to the prestigious European S2 Security Standard (EN14450 - ECB.S Certified) giving cash cover of £4,000 or valuables cover of £40,000.
- FIXING Ready prepared for floor fixing with fixing bolts for concrete supplied.
- **LOCKING FS1920K** Fitted with high security double bitted VdS class I key lock. FS1920E - Fitted with high security VdS class II electronic lock with dual control, master code & time delay.
- SPECIAL FEATURES Supplied with height adjustable shelves that also includes hanging rails for lateral files as standard. Optional pull out cradles also available.
- **COLOUR** Finished in a high quality scratch resistant white paint RAL9003.
- GDPR Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.
- Suitable for storage of controlled drugs whose active ingredients do not exceed 500 grams.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING / HANDLE DEPTH	WEIGHT	CAPACITY	SHELVES		FOOLSCAP LEVER ARCH FOLDER (H350xW80xD285mm) Total no.of file per unit	
FS1921K/E	1200 x 1250 x 585mm	1030 x 1110 x 390mm	570mm/40mm	440kg	445 Litres	2	42	26	28
FS1922K/E	1950 x 940 x 585mm	1760 x 800 x 390mm	690mm/40mm	558kg	549 Litres	4	50	50	40
FS1923K/E	1950 x 1250 x 585mm	1760 x 1110 x 390mm	520mm/40mm	650kg	761 Litres	4	70	65	56
Data Protection	on Insert – FSDPI03 300 x 515 x 360mm	170 x 370 x 230mm	-	20kg	14 Litres	-			





















<sup>\*</sup> Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

## FS2250 SERIES WORLD CLASS VERTICAL FIRE FILE









Data protection insert (FSDPI08)

THE PHOENIX WORLD CLASS VERTICAL FIRE FILE series offers unrivalled protection for documents and data† in a stylish modern filing cabinet format. Ultra lightweight insulation materials mean the cabinet can be used on most floors without the need for supporting.

- FIRE PROTECTION (PAPER) FS2250 SERIES 90 minutes fire protection for paper documents.
  - **FIRE PROTECTION (DATA)** 90 to 120 minutes fire protection for Computer tapes and data if optional FSDPI08 is used.
  - **FIRE PROTECTION (DIGITAL MEDIA)** Tested to MTC DIP120-60DM fire test standard, providing 60 minutes fire protection for digital media, USB's, memory sticks and hard drives.
- WATER RESISTANCE Water resistant seals prevent water damage to contents when cabinet is subjected to sprinkler systems or fire hoses.\*\*\*
- DROP TEST Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- LOCKING FS2250K Fitted with a high quality key lock supplied with two keys. FS2250E - Fitted with an advanced high security electronic lock with clear LED display, dual control, hidden code & scrambled code that can be programmed as standard.

- **FS2250F** Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, battery Indicator, internal alarm, multi user codes, dual mode, hidden code and scrambled code that can be programmed as standard with up to 32 fingerprints.
- CAPACITY Able to accommodate Foolscap, A4 and A5 files on width adjustable rails. Compression plates are also supplied to maximise useable space.
- COLOUR Finished in a high quality scratch resistant white paint RAL9003.
- GDPR Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	WEIGHT	CAPACITY PER DRAWER		DRAWERS
FS2252K/E/F	720 x 530 x 675mm	255 x 385 x 505mm**	140kg	49 Litres	98 Litres	2
FS2254K/E/F	1405 x 530 x 675mm	255 x 385 x 505mm**	266kg	49 Litres	196 Litres	4
Data Protection	Insert – FSDPI08 260 x 380 x 500mm	165 x 282 x 402mm	20kg	19 Litres	-	





























### **FS2270 SERIES WORLD CLASS VERTICAL FIRE FILE**








Data protection insert (FSDPIO8)

THE PHOENIX WORLD CLASS VERTICAL FIRE FILE series offers unrivalled protection for documents and data† in a stylish modern filing cabinet format. Ultra lightweight insulation materials mean the cabinet can be used on most floors without the need for supporting.

- FIRE PROTECTION (PAPER) 120 minutes fire protection for paper documents
  - FIRE PROTECTION (DATA) 90 to 120 minutes fire protection for Computer tapes and data if optional FSDPI08 is used.
  - FIRE PROTECTION (DIGITAL MEDIA) Tested to MTC DIP120-60DM fire test standard, providing 60 minutes fire protection for digital media, USB's, memory sticks and hard drives.
- **WATER RESISTANCE** Water resistant seals prevent water damage to contents when cabinet is subjected to sprinkler systems or fire hoses.\*\*\*
- **DROP TEST** Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- LOCKING FS2270K Fitted with a high quality key lock supplied with two keys. FS2270E - Fitted with an advanced high security electronic lock with clear LED display, dual control, hidden code & scrambled code that can be programmed as standard.

- FS2270F Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, battery Indicator, internal alarm, multi user codes, dual mode, hidden code and scrambled code that can be programmed as standard with up to 32 fingerprints.
- CAPACITY Able to accommodate Foolscap, A4 and A5 files on width adjustable rails. Compression plates are also supplied to maximise useable space.
- **COLOUR** Finished in a high quality scratch resistant white paint RAL9003.
- GDPR Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	WEIGHT	CAPACITY PER DRAWER		DRAWERS
FS2272K/E/F	765 x 570 x 700mm	265 x 385 x 505mm**	180kg	51 Litres	102 Litres	2
FS2274K/E/F	1450 x 570 x 700mm	265 x 385 x 505mm**	320kg	51 Litres	204 Litres	4
Data Protection	Insert – FSDPI08 260 x 380 x 500mm	165 x 282 x 402mm	20kg	19 Litres	-	

































FS2270F

# FS2410 SERIES WORLD CLASS LATERAL FIRE FILE













FS2412K

THE PHOENIX WORLD CLASS LATERAL FIRE FILE FS2410 series offers unrivalled protection and capacity for documents and data in a stylish modern lateral filing cabinet format. Ultra lightweight insulation materials also mean the cabinet can be used on most standard floors without the need for supporting.

- FIRE PROTECTION (PAPER) Tested to the Swedish NT Fire 017-60 Paper standard, providing 60 minutes fire protection for paper
- FIRE PROTECTION (DATA) 60 minutes protection for computer tapes and digital media when stored in optional FSDPI09.
- WATER RESISTANCE Water resistant seals prevent water damage to contents when cabinet is subjected to sprinkler systems or fire hoses\*\*\*.
- **DROP TEST** Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- CAPACITY Able to accommodate foolscap, A4 and A5 files on width adjustable rails.
- LOCKING FS2410K Fitted with a high quality key lock supplied with two keys. FS2410E - Fitted with an advanced high security electronic lock with clear LED display, dual control, hidden code & scrambled code that can be programmed as standard. FS2410F -Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, battery Indicator, internal alarm, multi user codes, dual mode, hidden code and scrambled code that can be programmed as standard with up to 32 fingerprints.
- **COLOUR** Finished in a high quality scratch resistant white paint RAL9003.
- GDPR Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	WEIGHT	CAPACITY PER DRAWER	TOTAL Capacity	DRAWERS
FS2412K/E/F	730 x 985 x 600mm	265 x 830 x 385mm <sup>††</sup>	209kg	84 Litres	168 Litres	2 (lateral foolscap - complete with filing cradles)
FS2414K/E/F	1390 x 985 x 600mm	265 x 830 x 385mm <sup>††</sup>	342kg	84 Litres	336 Litres	4 (lateral foolscap - complete with filing cradles)
Data Protection	Insert - FSDPI09					
	259 x 400 x 375mm	165 x 282 x 277mm	20kg	-	13 Litres	-

- When using Phoenix FSDPI09
- Internal dimensions for the drawers
- When compared against the Phoenix FS2254 Vertical Fire File retail price
- \*\*\* Does not protect against water submersion

All weights are for the product only and does not include the packaging.

























## DS2000 SERIES DATACARE







DS2001E

Designed to meet the requirement of a large capacity fire protection unit for computer backup tapes and digital media such as CD's, DVD's and memory sticks. Suitable for use in residential or business premises.

- FIRE PROTECTION (DATA) Tested to Swedish NT Fire 017.
  - i) DS2001 60dis standard, providing 60 minutes fire protection for computer backup tapes.
  - ii) DS2002 90dis standard, providing 90 minutes fire protection for computer backup tapes.
- WATER RESISTANCE Twin water resistant seals provide an airtight water resistant inner compartment for your computer media.
- DROP TEST Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- SPECIAL FEATURES DS2002 is fitted with automatic slam shut locking.
- LOCKING DS2000K Fitted with a high quality key lock supplied with two keys. DS2000E – Fitted with an advanced high security electronic lock with clear LED display, dual control, hidden code & scrambled code that can be programmed as standard.

- **DS2000F** Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, battery Indicator, internal alarm, multi user codes, dual mode, hidden code and scrambled code that can be programmed as standard with up to 32 fingerprints.
- COLOUR Finished in a high quality scratch resistant white paint
- GDPR Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

Internal Key Hooks

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING / HANDLE DEPTH	WEIGHT	CAPACITY	SHELVES/ KEY HOOKS	LT0	DATA CA	APACITY DLT	CD-ROM
DS2001K/E/F	420 x 350 x 430mm	240 x 150 x 195mm	305mm/30mm	43kg	7 Litres	1/4	14	96	14	30
DS2002K/E/F	600 x 470 x 470mm	380 x 245 x 195mm	440mm/30mm	93kg	18 Litres	2/3	27	225	27	57

All weights are for the product only and does not include the packaging.





















<sup>\*</sup> Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

## DS2500 SERIES DATA COMBI





**FOUR SAFES IN ONE** – this safe provides fire protection for paper documents, computer diskettes, tapes and all forms of data storage and security for cash and valuables all in one unit. Suitable for use in residential or business premises.

- FIRE PROTECTION (PAPER) Tested to Swedish NT Fire 017-90 Paper (DS2501/DS2502), NT Fire 017-120 Paper (DS2504), providing up to 120 minutes fire protection for paper documents.
- FIRE PROTECTION (DATA) Tested to Swedish NT Fire 017-90dis (DS2501/DS2502), NT Fire 017-120 data (DS2504), providing up to 120 minutes Fire protection for computer diskettes, tapes and all forms of data storage.
- FIRE PROTECTION (DIGITAL MEDIA) Tested to MTC DIP120-60DM fire test standard, providing 60 minutes fire protection for digital media, DVD's, USB's, memory sticks and hard drives.
- SECURITY PROTECTION The safe is recommended for an overnight cash risk of £2,500 or £25,000 valuables\*.
- DROP TEST Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- LOCKING DS2500K Fitted with a high quality key lock supplied with two keys. DS2500E - Fitted with an advanced high security

electronic lock with clear LED display, dual control, hidden code & scrambled code that can be programmed as standard.

**DS2500F** – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, battery Indicator, internal alarm, multi user codes, dual mode, hidden code and scrambled code that can be programmed as standard with up to 32 fingerprints.

- FITTINGS Each safe comes complete with height adjustable shelf and lockable drawer.
- FIXING Ready prepared for floor fixing with fixing bolts for concrete supplied.
- SPECIAL FEATURES Fitted with automatic slam shut locking
- COLOUR Finished in a high quality scratch resistant white paint RAL9003.
- GDPR Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.



MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING / HANDLE DEPTH	WEIGHT	CAPACITY	SHELVES / DRAWERS / INTERNAL KEY HOOKS		FOOLSCAP LEVER ARCH FOLDER (H350xW80xD285mm) Total no.of file per unit	
DS2501K/E/I	640 x 500 x 500mm	510 <sup>+</sup> x 375 x 330mm	440mm/40mm	103kg	63 Litres MS*/ 6 Litres DC**	1/1/3	0	0	0
DS2502K/E/I	820 x 520 x 520mm	670 <sup>+</sup> x 380 x 330mm	460mm/40mm	134kg	84 Litres MS*/ 6 Litres DC**	1/1/3	5	4	0
DS2504K/E/I	F1160 x 655 x 560mm	980 <sup>+</sup> x 475 x 350mm	570mm/40mm	250kg	148 Litres MS* 14 Litres DC**		6	5	6

\*MS = Main Safe \*\*DC = Data Compartment +Internal drawer and data box reduces internal height by 305mm on DS2501E & DS2502E and 380mm on DS2504E All weights are for the product only and does not include the packaging.





















<sup>\*</sup> Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



### **DS4620 SERIES DATA COMMANDER**









DS4621E

Designed to meet the requirement of a large capacity fire protection unit for computer diskettes, tapes and all forms of data storage. Suitable for use in commercial business premises for large volume storage.

- FIRE PROTECTION (DATA) Tested to Swedish NT Fire 017-120dis standard, providing 120 minutes fire protection for computer backup tapes.
- **WATER RESISTANCE** Twin water resistant seals provide an airtight water resistant inner compartment for your computer media.
- **LOCKING DS4620K** Fitted with a high quality key lock supplied with two keys. DS4620E - Fitted with an advanced high security electronic lock with clear LED display, dual control, hidden code & scrambled code that can be programmed as standard. DS4620F -Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, battery Indicator, internal alarm, multi user codes, dual mode, hidden code and scrambled code that can be programmed as standard with up to 32 fingerprints.
- **DROP TEST** Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.

- SPECIAL FEATURES DS4621 and DS4622 are fitted with automatic slam shut locking.
- FITTINGS Each unit comes complete with height adjustable shelves and pull out media trays.
- **COLOUR** Finished in a high quality scratch resistant white paint RAL9003.
- GDPR Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.







MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING / Handle Depth	WEIGHT	CAPACITY	SHELVES / Drawers	LT0	DATA CA Dat	APACITY DLT	CD-ROM
DS4621K/E/F	1160 x 690 x 720mm	885 x 400 x 405mm	595mm/40mm	340kg	143 Litres	2/3	294	1276	294	564
DS4622K/E/F	1685 x 690 x 720mm	1410 x 400 x 405mm	595mm/40mm	480kg	228 Litres	2/5	462	1972	462	940
DS4623K/E/F	1685 x 1200 x 720mm	1410 x 800** x 405mm	595mm/40mm	753kg	457 Litres	3/10	924	3944	924	1880
MEDIA DRAWE	ERS -	60 x 370 x 397mm	-	3kg	-	-	42	116	42	94

<sup>\*\*</sup> width comprises of two compartments each 395mm wide. All weights are for the product only and does not include the packaging.





















DS4620E \* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

18

### **BS1280 SERIES BATTERY TITAN**



Our cabinets are suitable for storing and recharging lithium-ion batteries











the battery igniting and causing a fire explosion that can be extremely difficult to extinguish and cause major damage to life and buildings.



The Battery Titan Series has been designed for use in domestic and commercial environments for the safe storage and charging of Lithium-Ion batteries.

Rechargeable batteries present many risks including thermal runaway caused by a rise in temperature, impact damage or faulty manufacture. This can result in

- Suitable FOR The storage and charging of the following battery types –
  power tools, garden tools, e-bikes/scooters, drones, laptop, mobile
  phone, plus your standard household rechargeable batteries AAA, AA,
  Type C, Type D, 9V.
- FIRE PROTECTION Tested and certified to the international NT Fire 017-60 standard.
- DROP TEST Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- CONSTRUCTION Double wall construction with internal fill of our patented Styronite F insulation, provide a cabinet of great strength and fire/heat resistance.
- CHARGING Safely charge your Lithium batteries using the fitted power points – BS1281, 1 Double PDU, 2 sockets, BS1282, 1 Double PDU, 2 sockets, BS1283, 2 Double PDUs, 4 sockets.
- LOCKING BS1280K Fitted with a high-quality key lock supplied with two keys. BS1280E – Fitted with an advanced high security electronic lock with scrambled code as standard. BS1280F – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, internal alarm, dual control, hidden code and scrambled code that can be programmed as standard with up to 32 fingerprints.

- WARNING LABELS Fitted with warning label in accordance with ISO 3864 and ISO 7010, as well as the European directive 92/58/EEC
- SECURITY PROTECTION The safe is recommended for an overnight cash risk of £2,000 or £20,000 valuables\*.
- FIXING Ready prepared for floor fixing, with fixing bolts for concrete floors supplied.
- FEATURES All models are supplied with four internal key hooks and a pull-out drawer. Models BS1282 & BS1283 also benefit from a height adjustable shelf.
- COLOUR Finished in a high-quality scratch resistant white paint RAL9003.

#### Optional Feature

 BRIGHT INTERNAL LED LIGHT – Illuminates the interior of the safe (BS1280E only).



Optional LED Light (BS1280E only)

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D		DOOR SWING/ HANDLE DEPTH	WEIGHT		SHELVES/ DRAWER/ INTERNAL KEY HOOKS
BS1281K/E/F	360 x 410 x 365mm	260 x 320 x 235mm	350mm/40mm	28kg	19 Litres	0/1/4
BS1282K/E/F	410 x 350 x 430mm	320 x 260 x 305mm	325mm/40mm	34kg	25 Litres	1/1/4
BS1283K/E/F	515 x 400 x 440mm	410 x 300 x 300mm	375mm/40mm	53kg	36 Litres	1/1/4

The internal drawer reduces internal height by 50mm. All weights are for the product only and does not include the packaging.






















BS1280K BS1280E BS1280F BS1280F
\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



### **BS0440 SERIES BATTERY FIGHTER**











BS0442E

The Battery Fighter Series has been designed for use in domestic and commercial environments for the safe storage and charging of Lithium-Ion batteries. Rechargeable batteries present many risks including thermal runaway caused by a rise in temperature, impact damage or faulty manufacture. This can result in the battery igniting and causing a fire explosion that can be extremely difficult to extinguish and cause major damage to life and buildings.

- Suitable FOR The storage and charging of the following battery types power tools, garden tools, e-bikes/scooters, drones, laptop, mobile phone, plus your standard household rechargeable batteries AAA, AA, Type C, Type D, 9V.
- FIRE PROTECTION Tested to Swedish NT Fire 017-90 Paper (BS0441 & BS0442), NT Fire 017-120 Paper (BS0444), providing up to 120 minutes fire protection for paper documents.
- **DROP TEST** Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **CONSTRUCTION** Double wall construction with internal fill of our patented Styronite F insulation, provide a cabinet of great strength and fire/heat resistance.
- CHARGING Safely charge your Lithium batteries using the fitted power points - BS0441, 2 Double PDUs, 4 sockets, BS0442, 3 Double PDUs, 6 sockets, BS0443, 4 Double PDUs, 8 sockets.
- **LOCKING BS0440K** Fitted with a high-quality key lock supplied with two keys. BS0440E - Fitted with an advanced high security electronic lock with scrambled code as standard. BS0440F - Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear

- LED display, internal alarm, dual control, hidden code, and scrambled code that can be programmed as standard with up to 32 fingerprints.
- WARNING LABELS Fitted with warning label in accordance with ISO 3864 and ISO 7010, as well as the European directive 92/58/EEC
- **SECURITY PROTECTION** The safe is recommended for an overnight cash risk of £2,500 or £25,000 valuables\*.
- FIXING Ready prepared for floor fixing, with fixing bolts for concrete floors supplied.
- FEATURES All models are supplied with internal key hooks and a pull-out drawer. All models also benefit from height adjustable shelves.
- **COLOUR** Finished in a high-quality scratch resistant white paint RAL9003.

#### Optional Features -

 $\textbf{INTERNAL TEMPERATURE MONITOR} - For \ enhanced \ safety, \ the$ cabinet can be fitted with an external temperature display and alarm, this gives an accurate internal temperature reading and early warning of a potential issue with a battery overheating.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D		DOOR SWING/ HANDLE DEPTH	WEIGHT	CAPACITY	SHELVES / DRAWER Internal Key Hooks
BS0441K/	<b>E/F</b> 640 x 500 x 500mm	510 <sup>+</sup> x 375 x 330mm	440mm/40mm	93kg	63 Litres	1/1/3
BS0442K/	<b>E/F</b> 820 x 520 x 520mm	670 <sup>+</sup> x 380 x 330mm	460mm/40mm	120kg	84 Litres	2/1/3
BS0444K/	<b>E/F</b> 1160 x 655 x 560mm	980 <sup>+</sup> x 475 x 350mm	570mm/40mm	228kg	163 Litres	3/1/5



<sup>&</sup>lt;sup>+</sup> The internal drawer reduces internal height by 95mm. All weights are for the product only and does not include the packaging.







BS0440K















Internal Kev Hooks

<sup>\*</sup> Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

### **BS1930 SERIES BATTERY COMMANDER**











External heat and alarm monitoring


THE BATTERY COMMANDER SERIES has been designed for the protection of life and buildings from the devastating effects of Lithium battery Fires. They offer a safety storage and charging solution for large volume of Lithium-Ion batteries. Lithium-Ion batteries present many risks including thermal runaway caused by a rise in temperature, a shock or faulty manufacture. This can result in the battery igniting and causing a fire that can be extremely difficult to extinguish.

- FIRE PROTECTION Tested to EN14470-1 (part 1) for 90 minutes.
- **DROP TEST** Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **VENTILATION** Fitted as standard with air ventilation ducts, these ducts are heat protected by a thermal fuse that triggers at 75 Degrees C. This seals the unit in the event of an internal battery fire or external building fire. For added ventilation, an external extraction fan can be connected to the top exit vent duct, for forced extraction, this is highly recommended to prevent the build up of heat whilst charging.
- **INTERNAL TEMPERATURE MONITOR** For safety the cabinet comes as standard with an external temperature display, this gives an accurate internal temperature reading and early warning of a potential issue with a battery over heating.
- **AUTOMATIC DOORS** Each door is fitted with auto closing and auto locking function so the safe is always securely closed and sealed in the
- LOCK OPTIONS BS1930K Fitted with a high quality key lock supplied with two keys. BS1930E - Fitted with an advanced high security electronic lock with clear LED display, dual control, hidden code & scrambled code that can be programmed as standard. The lock can further be upgraded to incorporate multiple user audit trail so that user's usage can be monitored. BS1930F - Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED

- display, battery Indicator, internal alarm, multi user codes, dual mode, hidden code and scrambled code that can be programmed as standard with up to 32 fingerprints.
- MULTIPOINT LOCKING Fitted with an advanced multipoint locking system that securely seal the doors. Even in the event of the most severe battery explosion, the doors will remain securely closed.
- **CONSTRUCTION** Double wall construction with internal fill of our patented Styronite F insulation provide a cabinet of great strength and fire/heat resistance.
- **CHARGING** Safely charge your Lithium batteries using the fitted power points – 1 x surge protected 8 gang power block, option to add a further 3 power blocks to the pre-wired control boxes.
- **SHELVING** Supplied with Heavy duty perforated height adjustable shelves capable of carrying 100kg at a time. Fitted with an internal base sump as standard.
- **EARTH LINK** fitted and ready to connect to a suitable earth point.
- WIRING Pre-wired for alarm and up to 4 x 8 gang power blocks.
- PLINTH Fitted with a plinth to allow easy movability and removal from the building in the event of a fire situation. The plinth is supplied with a front cover to provide a neat exterior finish.
- **WARNING LABELS** Fitted with warning labels to in accordance with ISO 3864 and ISO 7010, as well as the European directive 92/58/EEC.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	EXTERNAL CABLE BOX	EXTERNAL TRUNKING	INTERNAL DIMENSIONS H x W x D	DOOR SWING / HANDLE DEPTH	WEIGHT	CAPACITY	SHELVES/ DOORS
BS1931K/E/F	1245x690x650mm	ADDS 100mm	ADDS 25mm	980x510x440mm	650mm/40mm	300kg	220 Litres	2/1
BS1932K/E/F	1770x690x650mm	TO THE EXTERNAL	TO THE EXTERNAL	1505x510x440mm	470mm/40mm	400kg	338 Litres	3/1
BS1934K/E/F	1770x1125x650mm	DEPTH	HEIGHT	1505x945x440mm	560mm/40mm	590kg	626 Litres	3/2

All weights are for the product only and does not include the packaging.









BS1930K













BS 1930F



# SS0721 SERIES COMPACT HOME & OFFICE SAFES





SS0721E

THE SS0721 SECURITY SAFES are ideal for use at home or in the office for storage of valuables and cash.

- **SECURITY PROTECTION** Recommended for overnight cash cover of £1,000 cash or £10,000 valuables\*.
- **LOCKING SS0721E** Simple to use with advanced 'user-friendly' digital lock. SS0721K fitted with a high quality key-lock and supplied with two keys.
- **CONSTRUCTION** Twin live locking bolts and concealed internal hinges for increased security.
- SPECIAL FEATURES Electronic locking model fitted with three internal key hooks.
- FIXING Ready prepared for floor or wall fixing, supplied with bolts suitable for brick walls and concrete floors.
- **COLOUR** Finished in a high quality scratch resistant black paint.

MODEL NUMBER		INTERNAL DIMENSIONS H x W x D	DOOR Swing	WEIGHT	CAPACITY
SS0721	<b>(</b> 170 x 230 x 170mm	168 x 228 x 120mm	160mm	3kg	5 Litres
SS0721E	E 170 x 230 x 170mm	168 x 228 x 120mm	160mm	3kg	5 Litres

Door aperture is reduced by 5mm due to frame.

All weights are for the product only and does not include the packaging.





















SS0721K **OVERRIDE KEYS** 

<sup>\*</sup> Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

### **DREAM SERIES HOME SAFES**





DREAM1M



DREAM1P



THE PHOENIX DREAM SERIES is a modern and elegant range of security safes designed for use in the home for the storage of cash, valuables

- SECURITY PROTECTION Recommended for overnight cash cover of £1,500 cash or £15,000 valuables.\*
- LOCKING Fitted with an advanced 'user friendly' electronic lock with LED display and illuminated keypad. For added peace of mind these safes are fitted with a key override facility (2 keys supplied) and an external Micro USB power supply connector for emergency use.
- **CONSTRUCTION** Twin 20mm diameter live locking bolts, precision laser cut door and concealed internal hinge for increased security.
- SPECIAL FEATURES Fully lined velvet soft interior and shelf with chrome accent, provides protection for its contents in a stylish modern design.
- FIXING Ready prepared for fixing to the floor or wall, with 4 fixing bolts supplied for brick walls or concrete floors.
- COLOUR Available in a high quality powder coated pastel Blue, Pink or Mint to add a subtle splash of colour to your home or office.
- GDPR Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

MODEL NUMBER	COLOUR	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	CAPACITY	SHELVES
DREAM1B	Blue	250 x 350 x 250mm	240 x 340 x 190mm	290mm	10kg	15.5 Litres	1
DREAM1P	Pink	250 x 350 x 250mm	240 x 340 x 190mm	290mm	10kg	15.5 Litres	1
DREAM1M	Mint	250 x 350 x 250mm	240 x 340 x 190mm	290mm	10kg	15.5 Litres	1

All weights are for the product only and does not include the packaging.



and important documents.











<sup>\*</sup> Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



# SS0800 SERIES VELA HOME & OFFICE SAFES





LED INTERNAL LIGHT (E LOCK VERSION ONLY)

OVERRIDE KEYS









SS0801K SS0804E

SS0805


SS0803K SS0802E

THE PHOENIX VELA SERIES is designed for use at home or in the office for storage of valuables, cash and important documents.

- SECURITY PROTECTION Recommended for overnight cash cover of £1,000 cash or £10,000 valuables.\*
- LOCKING SS0800K fitted with a high quality key-lock and comes complete with two keys. SS0800E has advanced 'user friendly' electronic locking with high quality anti-tamper or bounce solenoid locking system. For added peace of mind these safes are fitted with a key override facility (2 keys supplied).
- SPECIAL FEATURES Internal width of SS0803 makes it ideal for the storage of laptops up to 17".
- LIGHTING The electronic locking versions all come fitted with a bright LED interior light so that contents can easily be seen, even in the most dimly lit cupboards.
- CONSTRUCTION Twin live locking bolts and concealed internal hinges for increased security.

- FIXING Ready prepared for fixing to the floor or wall, bolts supplied for brick walls or concrete floors.
- COLOUR Finished in a high quality scratch resistant metallic graphite paint.
- GDPR Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	CAPACITY	SHELVES
SS0801K/E	200 x 310 x 200mm	195 x 305 x 160mm	215mm	4.5kg	10 Litres	0
SS0802K/E	250 x 350 x 250mm	245 x 345 x 210mm	260mm	6kg	17 Litres	1
SS0803K/E	250 x 450 x 365mm	240 x 440 x 325mm	355mm	12kg	34 Litres	1
SS0804K/E	500 x 350 x 310mm	495 x 345 x 300mm	260mm	19kg	51 Litres	1
SS0805K/E	560 x 370 x 445mm	555 x 365 x 435mm	290mm	23kg	88 Litres	1













phonix an amount of the second





\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

# **SS0300 SERIES DIONE HOTEL & LAPTOP SAFES**








THE PHOENIX DIONE SERIES are ideal for hotel, residential or business use, for the storage of tablets, laptops, cash and valuables.

- SECURITY PROTECTION Recommended for £1,000 cash or £10,000 valuables storage\*.
- LOCKING SS0301E is fitted with an advanced 'user friendly' electronic lock with high security anti-tamper or bounce solenoid locking system. For added peace of mind these safes are fitted with a key override facility and Master code facility.
  - SS0311E is fitted with a high security motorised electronic lock, programmable with user and master codes. An LED display shows lock status. The lock can also be specified with an optional audit trail reader that can display or print the last 200 openings (SS0311E) of the safe. This provides extra security in hotel and office use. For added peace of mind these safes are fitted with a key override facility (2 keys supplied).
- SPECIAL FEATURES Fitted with a bright LED interior light so that contents can easily be seen, even in the most dimly lit cupboards. The internal width of these (excluding SS0301E) makes it ideal for the storage of widescreen laptops.

- FIXING Ready prepared for floor or wall mounting (supplied with bolts suitable for brick walls or concrete floors).
- OPTIONAL Internal USB & plug charging facility. Call for further details.\*
- COLOUR Finished in a high quality scratch resistant metallic graphite paint.
- GDPR Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	CAPACITY	SHELVES
SS0301E	250 x 350 x 250mm	245 x 345 x 190mm	310mm	6kg	16 Litres	1
SS0311E	200 x 520 x 405mm	195 x 515 x 345mm	473mm	13kg	35 Litres	0















**INTERNAL USB & PLUG** \*Only available on factory orders.






**OVERRIDE KEYS** 

\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.







## SS1160 SERIES SECURSTORE



**THE PHOENIX SECURSTORE SS1160** Series is ideal for any retail environment, providing secure storage of stock, till drawers, cash boxes, mobile phones, cigarettes, weapons etc.

- SECURITY PROTECTION Recommended for overnight cash cover of £3,000 cash or £30,000 valuables.
- LOCKING SS1160K Fitted with a high security double bitted VdS class I key lock supplied with 2 keys. SS1160E Fitted with an advanced high security electronic lock with clear LED display, dual control, hidden code & scrambled code that can be programmed as standard. SS1160F Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, battery Indicator, internal alarm, multi user codes, dual mode, hidden code and scrambled code that can be programmed as standard with up to 32 fingerprints.
- CONSTRUCTION 4mm steel body and door, 3 way boltwork protected by anti-drill plates.
- SPECIAL FEATURES High capacity lightweight secure storage.
   Internal width allows for easy storage of till drawers.
- FIXING Ready prepared for fixing to the floor or wall, with fixing bolts supplied for brick walls or concrete floors.
- COLOUR Finished in a high quality scratch resistant white paint RAL9003.
- GDPR Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	WEIGHT	CAPACITY		HANDLE DEPTH	SHELVES
SS1161K/E/F	500 x 570 x 500mm	490 x 560 x 430mm	70kg	119 Litres	500mm	43mm	1
SS1162K/E/F	1000 x 570 x 500mm	990 x 560 x 430mm	124kg	240 Litres	500mm	43mm	2
SS1163K/E/F	1600 x 570 x 500mm	1590 x 560 x 430mm	181kg	385 Litres	500mm	43mm	3

All weights are for the product only and does not include the packaging.





















<sup>\*</sup> Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

### SS1180 SERIES FORTRESS













SS1181K





SS1183K



SS1182E

THE PHOENIX FORTRESS SS1180 series is designed and tested to the latest and prestigious European test standards for Security Protection.

■ SECURITY PROTECTION – Tested to the prestigious European S2 Security standard (EN14450) giving cash cover of £4,000 or valuables cover of £40,000\*. SS1181/2/3 – Sold Secure Certified. SS1184/5 – ECB.S Certified.

SS1184E

- APPROVALS UK Police approved (Secured by Design scheme) and the Association of Insurance Surveyors (AiS).
- LOCKING SS1180K Fitted with a high security double bitted VdS class I key lock. SS1180E – Fitted with a high security VdS class II electronic lock with time delay, dual code function & multiple user codes.
- CONSTRUCTION Double wall construction with anti-drill plate protection, three way live locking bolts and re-locker protection for the door, provide a safe of great strength.

- FIXING Ready prepared for floor or wall fixing, with fixing bolts for concrete floors or brick walls supplied.
- COLOUR Finished in a high quality scratch resistant white paint RAL9003.
- GDPR Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.
- Suitable for storage of controlled drugs whose active ingredients do not exceed 500 grams.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR Swing	WEIGHT	CAPACITY	SHELVES	LEVER ARCH FOLDER (H320xW75x290mm) Total no.of file per unit	FOOLSCAP LEVER ARCH FOLDER (H350xW80xD285mm) Total no.of file per unit	
SS1181K/E	220 x 350 x 300mm	140 x 270 x 190mm	283mm	15kg	7 Litres	1	0	0	0
SS1182K/E	350 x 450 x 350mm	270 x 365 x 240mm	382mm	25kg	24 Litres	1	0	0	0
SS1183K/E	550 x 450 x 350mm	470 x 365 x 240mm	382mm	35kg	42 Litres	2	4	4	4
SS1184K/E	805 x 445 x 400mm	715 x 360 x 290mm	382mm	54kg	74 Litres	2	8	8	4
	1000 x 440 x 400mm		382mm	65kg	99 Litres	2	8	8	8















\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



## **SS1440 SERIES**FORTRESS PRO















**THE PHOENIX FORTRESS PRO SS1440 SERIES** is designed and tested to the latest and prestigious European test standards for both Fire and Security Protection, making it ideal for home or office.

- SECURITY PROTECTION Tested to the prestigious European S2 Security standard (EN14450 – ECB.S Certified) giving cash cover of £4,000 or Valuables cover of £40,000\*.
- APPROVALS UK Police approved (Secured by Design scheme) and the Association of Insurance Surveyors (AiS).
- FIRE PROTECTION Tested to the International NT Fire 017-60 fire test standard, providing 60 minutes fire protection for paper documents.
- LOCKING SS1440K Fitted with a high security double bitted VdS class I key lock. SS1440E (excluding SS1441E) Fitted with a high security VdS class II PS310 electronic lock with time delay, dual code function & multiple user codes. SS1441E Fitted with PS210 electronic lock with integrated handle and illuminated surround.
- CONSTRUCTION Double wall construction with high grade concrete infill to provide both fire and burglary protection. Anti-drill plate protection, three way live locking bolts and fixed dog bolts, provide a door of massive strength and resistance to pry or forced attack.

- FIXING Ready prepared for floor or wall fixing, with fixing bolts for concrete floors or brick walls supplied.
- COLOUR Finished in a high quality scratch resistant white paint RAL9003.
- GDPR Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.
- Suitable for storage of controlled drugs whose active ingredients do not exceed 500 grams.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR Swing	WEIGHT	CAPACITY	SHELVES/ TRAY	LEVER ARCH FOLDER (H320xW75x290mm) Total no.of file per unit	FOOLSCAP LEVER ARCH FOLDER (H350xW80xD285mm) Total no.of file per unit	
SS1441K/E	290 x 405 x 355mm	190 x 305 x 220mm	715mm	35kg	13 Litres	0/1	0	0	0
SS1442K/E	305 x 430 x 430mm	205 x 330 x 295mm	760mm	43kg	20 Litres	0/1	2	0	0
SS1443K/E	480 x 350 x 430mm	380 x 250 x 295mm	615mm	52kg	28 Litres	1/1	3	3	3
SS1444K/E	480 x 430 x 430mm	380 x 330 x 295mm	760mm	58kg	37 Litres	1/1	4	4	4



















SS1440K SS1440E PS310 PS310 (SS1441E only)
\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

### SS1620 SERIES **FIREFOX**





SS1622K











THE PHOENIX FIREFOX SS1620 series is designed and tested to the latest and prestigious European test standards for both Fire and Security Protection.

- **SECURITY PROTECTION** Tested to the prestigious European S2 Security standard (EN14450 ECB.S Certified) giving cash cover of £4,000 or valuables cover of £40,000\*.
- APPROVALS UK Police approved (Secured by Design scheme) and the Association of Insurance Surveyors (AiS).
- FIRE PROTECTION (PAPER) Tested to the Swedish NT Fire 017-120 Paper standard, providing 120 minutes fire protection for paper documents.
- FIRE PROTECTION (DIGITAL MEDIA) Tested to MTC DIP120-60DM fire test standard, providing 60 minutes fire protection for digital media, DVD's, USB's, memory sticks and hard drives.
- **FEATURES** Internal lockable steel drawer unit in each model.
- LOCKING SS1620K Fitted with a high security double bitted VdS class I key lock. SS1620E - Fitted with a high security VdS class II electronic lock.

- DROP TEST Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
  - **Internal Key Hooks**
- **CONSTRUCTION** Double wall construction with high grade concrete infill to provide both fire and burglary protection.
- FIXING Ready prepared for floor fixing, with fixing bolts for concrete supplied.
- **COLOUR** Finished in a high quality scratch resistant white paint RAL9003.
- GDPR Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.
- Suitable for storage of controlled drugs whose active ingredients do not exceed 500 grams.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING / Handle Depth	WEIGHT		DRAWERS / Shelves / Key Hooks	LEVER ARCH FOLDER (H320xW75x290mm) Total no.of file per unit	FOOLSCAP LEVER ARCH FOLDER (H350xW80xD285mm) Total no.of file per unit	FOOLSCAP BOX FILE (H370xW75xD245mm) Total no.of file per unit		
SS1621K/E	960 x 655 x 560mm	780 <sup>+</sup> x 475 x 350mm	600mm/50mm	220kg	128 Litres	1/2/5	12	10	12		
SS1622K/E	1160 x 655 x 560mm	980 <sup>+</sup> x 475 x 350mm	600mm/50mm	252kg	162 Litres	1/2/5	18	10	12		
SS1623K/E	1385 x 775 x 650mm	1205 <sup>+</sup> x 595 x 440mm	720mm/50mm	368kg	315 Litres	1/3/0	21	21	21		
Data Protect	Data Protection Insert – FSDPI03 (SS1623 only)										
	300 x 515 x 360mm	170 x 370 x 230mm	-	20kg	14 Litres	-	-				

This information is provided as a guide only. Actual capacities may vary depending on the storage method or shelving used.

<sup>+</sup> Drawer reduces internal height by 105mm. All weights are for the product only and does not include the packaging.



















<sup>\*</sup> Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



## HS0670 SERIES VENUS



THE PHOENIX VENUS HS0670 SERIES is designed to provide extreme security protection, making it ideal for home or office.

- SECURITY PROTECTION Tested to the prestigious European EN1143-1 Security standard, Grade 0. Recommended Insurance rating of £6,000 cash or £60,000 valuables.
- LOCKING HS0670K Fitted with high security double bitted VdS class I key lock. HS0670E – Fitted with a high security VdS class II electronic lock with time delay, dual code function and multiple user codes.
- FIXING Ready prepared for floor or wall fixing with fixing bolts for concrete floors or brick walls supplied (except HS0674 – floor only)\*\*.
- CONSTRUCTION 3 way live locking with 24mm polished bolts, multi layered 24mm thick wall construction, 10mm thick solid steel laser cut door with internal hinges, provide a safe of great strength.
- SPECIAL FEATURE HS0674 fitted with an internal lockable coffer for added security (2 keys supplied).

- COLOUR Finished in a high quality scratch resistant white paint RAL9003.
- GDPR Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.
- Suitable for storage of controlled drugs whose active ingredients exceed 500 grams.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	CAPACITY	SHELVES		FOOLSCAP LEVER ARCH FOLDER (H350xW80xD285mm) Total no.of file per unit	FOOLSCAP BOX FILE (H370xW75xD245mm) Total no.of file per unit
HS0671K/	<b>E</b> 250 x 360 x 310mm	195 x 310 x 230mm	260mm	44kg	14 Litres	1	0	0	0
HS0672K/	<b>E</b> 300 x 440 x 380mm	245 x 390 x 300mm	330mm	65kg	29 Litres	1	3	3	3
HS0673K/	<b>E</b> 460 x 440 x 380mm	405 x 390 x 300mm	330mm	90kg	48 Litres	1	5	4	5
HS0674K/	<b>E</b> 670 x 440 x 380mm	485 x 390 x 300mm	345mm	122kg	56 Litres Main Compartmer 15 Litres Internal Coffer	nt 1	5	4	5

This information is provided as a guide only. Actual capacities may vary depending on the storage method or shelving used.

\*\* Ready prepared for Base fixing with fixing bolt. Rear fixing is partially prepared in the inner wall. If wall fixing is required the fixing hole will need to be extended to the outer wall using a suitable HSS drill.

All weights are for the product only and does not include the packaging.















(HS0674 only)

<sup>\*</sup> Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

## HS1050 SERIES NEPTUNE







HS1051E













HS1052E

THE PHOENIX NEPTUNE HS1050 SERIES is designed to provide extreme security protection for domestic and business use.

- SECURITY PROTECTION Tested to the prestigious European EN1143-1 Security standard. ECB.S Certified Grade I, has a recommended Insurance rating of £10,000 cash or £100,000 valuables\*.
- APPROVALS UK Police approved (Secured by Design scheme) and the Association of Insurance Surveyors (AiS).

HS1054K

- FIRE PROTECTION Tested to the European LFS 30P standard (EN15659) giving 30 minutes fire protection for paper records.
   HS1055 – Recommended for 30 minutes fire protection for paper records.
- KEY LOCKING Fitted with high security double bitted VdS class I key lock.
- ELECTRONIC LOCKING Fitted with high security VdS class II electronic lock with dual control, master code & time delay.
- FIXING Ready prepared for floor or wall fixing, with fixing bolts for concrete floors or brick walls.

 CONSTRUCTION – 3 way 24mm diameter locking bolts, double wall construction with specially formulated concrete infill and anti-drill plates, provide a safe of great strength.

HS1053K

- COLOUR Finished in a high quality scratch resistant graphite grey paint RAL7024.
- GDPR Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.
- Suitable for storage of controlled drugs whose active ingredients exceed 500 grams.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING / Handle Depth	WEIGHT	CAPACITY	SHELVES		FOOLSCAP LEVER ARCH FOLDER (H350xW80xD285mm) Total no.of file per unit	
HS1051K/E	340 x 500 x 345mm	260 x 425 x 215mm	475/40mm	97kg	24 Litres	1	0	0	0
HS1052K/E	440 x 500 x 430mm	360 x 425 x 300mm	475/40mm	140kg	46 Litres	1	5	5	0
HS1053K/E	900 x 440 x 430mm	820 x 365 x 300mm	415/40mm	230kg	90 Litres	2	8	8	8
HS1054K/E	840 x 650 x 550mm	765 x 575 x 420mm	625/40mm	320kg	184 Litres	2	14	14	14
HS1055K/E	1240 x 650 x 555mm	1165 x 575 x 425mm	625/40mm	452kg	283 Litres	2	21	21	21





















HS1050K HS1050E

\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



### HS2050/HS3550 SERIES MERCURY/ELARA

















HS2051E / HS3551E

HS2054K / HS3554K

HS2055E / HS3555E

HS2053K / HS3553K

HS2052E / HS3552E

THE PHOENIX MERCURY HS2050 & ELARA HS3550 SERIES are designed to provide extreme security protection for domestic and business use.

- SECURITY PROTECTION Tested to the prestigious European EN1143-1 Security standard. ECB.S Certified Grade II & III. MERCURY (Grade II) has a recommended Insurance rating of £17,500 cash or £175,000 valuables\*. ELARA (Grade III) has a recommended Insurance rating of £35,000 cash or £350,000 valuables\*.
- APPROVALS UK Police approved (Secured by Design scheme) and the Association of Insurance Surveyors (AiS).
- FIRE PROTECTION Tested to the European LFS 30P fire protection standard (EN15659) giving 30 minutes fire protection for paper records.
- KEY LOCKING Fitted with high security double bitted VdS class II key lock.
- ELECTRONIC LOCKING Fitted with high security VdS class II electronic lock with dual control, master code & time delay.

- FIXING Ready prepared for floor or wall fixing, with fixing bolts supplied for concrete floors or brick walls.
- SPECIAL FEATURE Pre-prepared for alarm or power cable.
- CONSTRUCTION 3 way angular locking bolts, double wall construction with specially formulated concrete infill and anti-drill plates, provide a safe of great strength.
- COLOUR Finished in a high quality scratch resistant graphite grey paint RAL7024.
- GDPR Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.
- Suitable for storage of controlled drugs whose active ingredients exceed 500 grams.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING/ HANDLE DEPTH	WEIGHT	CAPACITY			FOOLSCAP LEVER ARCH FOLDER (H350xW80xD285mm) Total no.of file per unit	
HS2051K/E HS3551F	<b>(/E</b> 550 x 520 x 500mm	440 x 405 x 300mm	485mm/40mm	230/245kg	56 Litres	1	5	5	5
HS2052K/E HS3552F	<b>(/E</b> 650 x 520 x 500mm	540 x 405 x 300mm	485mm/40mm	260/280kg	69 Litres	1	5	5	5
HS2053K/E HS3553k	<b>(/E</b> 970 x 520 x 500mm	860 x 405 x 300mm	485mm/40mm	357/383kg	110 Litres	2	10	10	10
HS2054K/E HS3554F	<b>(/E</b> 1280 x 650 x 500mm	1170 x 535 x 300mm	615mm/40mm	527/567kg	197 Litres	3	21	18	21
HS2055K/E HS3555F	<b>(/E</b> 1630 x 860 x 500mm	1500 x 725 x 300mm	815mm/40mm	855/920kg	330 Litres	4	36	36	36























HS3550K HS3550E

\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

## **HS6070/HS9070 SERIES PLANET/COSMOS**



















THE PHOENIX PLANET HS6070 & COSMOS HS9070 SERIES are designed to provide extreme security protection for domestic and business use.

- SECURITY PROTECTION Tested to the prestigious European EN1143-1 Security standard. ECB.S Certified Grade IV & V. PLANET (Grade IV) has a recommended Insurance rating of £60,000 cash or £600,000 valuables\*. COSMOS (Grade V) has a recommended Insurance rating of £100,000 cash or £1,000,000 valuables\*.
- APPROVALS UK Police approved (Secured by Design scheme) and the Association of Insurance Surveyors (AiS).
- FIRE PROTECTION Tested to the European LFS 30P fire protection standard (EN15659) giving 30 minutes fire protection for paper documents.
- KEY LOCKING Fitted with 2 high security double bitted VdS Class II key locks.
- ELECTRONIC LOCKING Fitted with a high security VdS Class II electronic lock with dual control, master code & time delay and a

- high security double bitted VdS Class II key lock.
- FIXING Ready prepared for wall fixing, with fixing bolts for brick walls supplied.
- SPECIAL FEATURE Pre-prepared for alarm or power cable.
- CONSTRUCTION 3 way angular locking bolts, double wall construction with specially formulated concrete infill, anti-drill plates and re-locker protection, provide a safe of great strength.
- COLOUR Finished in a high quality scratch resistant grey paint RAL7024.
- GDPR Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.
- Suitable for storage of controlled drugs whose active ingredients exceed 500 grams.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING/ Handle Depth	WEIGHT	CAPACITY	SHELVES		FOOLSCAP LEVER ARCH FOLDER (H350xW80xD285mm) (I Total no.of file per unit 1	
HS6071K/E	580 x 580 x 545mm	470 x 465 x 360mm	545mm/50mm	328kg	80 Litres	1	6	5	6
HS6072K/E	680 x 580 x 545mm	570 x 465 x 360mm	545mm/50mm	372kg	100 Litres	1	6	5	6
HS6073K/E	850 x 580 x 545mm	740 x 465 x 360mm	545mm/50mm	445kg	129 Litres	1	12	10	6
HS6074K/E	1210 x 580 x 545mm	1100 x 465 x 360mm	545mm/50mm	595kg	190 Litres	2	18	15	12
HS6075K/E	1310 x 670 x 545mm	1175 x 530 x 330mm	625mm/50mm	695kg	205 Litres	3	21	18	21
HS9071K/E	690 x 690 x 690mm	530 x 525 x 425mm	635mm/50mm	645kg	121 Litres	1	7	6	7
HS9072K/E	850 x 690 x 690mm	690 x 525 x 425mm	635mm/50mm	757kg	154 Litres	1	14	6	7
HS9073K/E	1020 x 690 x 690mm	860 x 525 x 425mm	635mm/50mm	875kg	218 Litres	2	14	12	14
HS9074K/E	1330 x 690 x 690mm	1170 x 525 x 425mm	635mm/50mm	1094kg	295 Litres	3	21	18	21
HS9075K/E	1520 x 690 x 690mm	1360 x 525 x 425mm	635mm/50mm	1250kg	342 Litres	3	28	18	21





















<sup>\*</sup> Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



# HYPERION SERIES DEMOUNTABLE STRONGROOMS & VAULT DOORS





### Approved for Storage of Controlled Drugs

Home Office



**THE PHOENIX HYPERION SERIES** is designed to meet the exacting standards of customers demanding the best in secure protection. Suitable for use by the banking industry, bullion dealers, jewellers, safety deposit centres and the pharmaceutical industry. We can design a solution to meet customers specific requirements.

- SECURITY PROTECTION Tested to EN1143-1 EFSG, with grading ranging from Grade II through Grade XI, providing Core Drill (CD) and Explosive (EX) protection.
- CONSTRUCTION Composed of precast sections of steel that are typically 500mm wide. The vaults are securely constructed on site either by welding or bolting, for fast and tidy construction. The vaults and doors can be designed and manufactured to suit specific requirements, including to accommodate fork lift trucks. The external fascia is finished with concrete that can be boarded.
- LOCKING Hyperion vaults can be secured with a keylock combination or digital locking, complete with time lock and delay features. The vaults can also be fitted with a grille gate, suitable for daytime use.
- COLOUR The steel internals of the vaults are finished in a high quality, scratch resistant cream coloured primer paint.
- INSTALLATION Phoenix Safe offer a custom design and installation service, allowing us to meet our customers exact requirements, providing expert support at every stage of the process.



## PANDORA SERIES SAFETY DEPOSIT LOCKERS



**THE PHOENIX PANDORA SERIES** is designed to provide deposit solutions for a resurgent security deposit industry. The Pandora series can be scaled to a solution that meets your exact requirements.

Deposit lockers are a popular option for those looking to store valuable, important or expensive small items such as bullion, jewellery, documents such as birth certificates and deeds, or cash and rare coins.

- SECURITY PROTECTION The doors on each locker are tested to meet the Swedish SSF1048-2 certification. The Pandora Series is designed to be accommodated within our Hyperion Demountable strongrooms, which offer a minimum of EN 1143-1 Grade VIII EX CD European test certification.
- LOCKING Each locker has its own unique, mechanical key lock which is exclusive to the user of the locker and is replaced for every successor to ensure complete peace of mind for customers. The Pandora series also offers optional electronic computer-controlled locking with biometric, proximity card or PIN code entry.
- FINISH The columns are finished with attractive solid aluminium forged doors, surrounded by a grey painted steel frame.
- SPECIAL FEATURES Electronically controlled doors allow customers to access their lockers without the need for staff presence. The systems software allows you to manage the installation to Financial Conduct Authority (FCA) guidelines. The system also includes an alarm that will sound if somebody tries to tamper with the units.





	(a)
0	3
25	√ 49
© 26	© 50
27	51
28	52
29	53
30	€ 54
31	55
32	56
33	67
(i) 34	<b>(,</b> 58
35	Ç 59
(a) 36	60
37	61
38	62
	63
40	G 64
(i) at	65
	G 66
4	67
G 43	68
(i) 44	69
45	70
G 46	Q 71
(i) 47	72
48	











# SS0800 SERIES SAFE COMPANY LIMITED VELA DEPOSIT HOME & OFFICE SAFES













SS0801ED SS0804KD SS0802KD

THE PHOENIX VELA DEPOSIT SERIES is designed for use at home or in the office for storage of valuables, cash and important documents. With its high quality key-lock or user friendly electronic lock it is ideal for multiple applications.

- **SECURITY PROTECTION** Recommended for overnight cash cover of £1,000 cash or £10,000 valuables.\*
- LOCKING SS0800KD fitted with a high quality key-lock andcomes complete with two keys. SS0800ED has advanced 'user friendly' electronic locking with high security anti-tamper or bounce solenoid locking system. For added peace of mind these safes are fitted with a key override facility (2 keys supplied).
- **LIGHTING** The electronic locking versions of the Vela range all come fitted with a bright LED interior light so that contents can easily be seen, even in the most dimly lit cupboards.
- **CONSTRUCTION** Twin live locking bolts and concealed internal hinges for increased security.
- DEPOSIT SLOT Fitted with a deposit slot with anti-fish baffle plate to ensure that the contents cannot be 'fished out'. Dimension 150 x 12mm.
- FIXING Ready prepared for fixing to the floor or wall, with fixing bolts supplied for brick walls or concrete floors.
- COLOUR Finished in a high quality scratch resistant metallic graphite paint.
- GDPR Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

MODEL Number	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	CAPACITY	SHELVES
SS0801KD/ED	200 x 310 x 200mm	195 x 305 x 160mm	215mm	4.5kg	10 Litres	0
SS0802KD/ED	250 x 350 x 250mm	245 x 345 x 210mm	260mm	6kg	17 Litres	1
SS0804KD/ED	500 x 350 x 310mm	495 x 345 x 300mm	260mm	19kg	51 Litres	1

All weights are for the product only and does not include the packaging.











\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.





## PHOENIX SS0991 UNDER COUNTER NOTE DEPOSIT SAFE



The **SS0991KD** is ideal for retail environments where there is a need to safely store notes from the till drawer, without staff having access. The unit is also portable so that it can be unlocked from the counter and taken to the cash office for secure sorting.

- LOCKING Fitted with two key locks each and supplied with two keys. One lock secures the unit to the base tray, the second lock releases the stored notes.
- DEPOSIT FACILITY Note deposit facility (Not suitable for coins).
- SPECIAL FEATURES Under counter mounting plate with key release. Allows unit to be removed from the counter and emptied in a secure cash room.
- CONSTRUCTION Constructed of solid steel plate.
- FIXING Supplied with a fixing plate and fixings to secure under a counter.
- COLOUR Finished in a high quality scratch resistant white paint RAL9003.









### PHOENIX SS0992 CASHIER DAY DEPOSIT SAFE

Front loading day deposit safe for cash management. Ideal for under counter locations, allowing the safe deposit of cash from a till drawer.

- SECURITY PROTECTION Recommended for overnight cash cover of £1,000 cash or £10,000 valuables.
- LOCKING SS0992KD Fitted with a high security double bitted lock supplied with two keys. SS0992ED – Fitted with a high security VdS class II electronic lock.
- DEPOSIT FACILITY Fitted with a lockable deposit (2 keys supplied) with Phoenix tilting baffle plate to ensure that the contents cannot be 'fished out'.
- CONSTRUCTION Constructed of 6mm steel plate door and 2mm body.
- FIXING Ready prepared for floor and wall fixing with bolts supplied.
- COLOUR Finished in a high quality scratch resistant metallic graphite paint.
- GDPR Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.





SS0992KD

SS0992ED

MODEL Number	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DEPOSIT SLOT DIMENSIONS H x W x D	WEIGHT	CAPACITY
SS0991KD	225 x 100 x 195mm	175 x 95 x 120mm	10 x 100 x 160mm	2kg	2 Litres
SS0992KD/ED	600 x 250 x 250mm	380x240x210mm	95 x 185 x 200mm	17kg	19 Litres









All weights are for the product only and does not include the packaging.

<sup>\*</sup> Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



## SS0990 SERIES CASHIER DEPOSIT



#### FRONT LOADING CASHIER DEPOSIT SAFE for 24 hour cash management.

- SECURITY PROTECTION Recommended for overnight cash cover of £3,000 cash or £30,000 valuables\*.
- LOCKING SS0990KD Fitted with a high security VdS Class I key lock supplied with two keys. SS0990ED – Fitted with a high security VdS class II electronic lock.
  - **SS0990FD** Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, battery Indicator, internal alarm, multi user codes, dual mode, hidden code and scrambled code that can be programmed as standard with up to 32 fingerprints.
- DEPOSIT FACILITY Fitted with a special Phoenix baffle plate to ensure the contents cannot be fished out. Also features a night lockout plate for increased security during out of hours.

- SPECIAL FEATURES SS0998 fitted with separate lockable coffer for added security.
- CONSTRUCTION Constructed of 12mm steel plate door and 6mm body with anti-drill plates.
- FIXING Ready prepared for floor fixing with fixing bolts for concrete supplied.
- COLOUR Finished in a high quality scratch resistant graphite grey paint RAL7024.
- GDPR Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	CAPACITY	HANDLE Depth
SS0996KD/ED/FD	480 x 340 x 380mm	448 x 328 x 323mm	275mm	54kg	47 Litres	50mm
DEPOSIT SLOT	-	80 x 265 x 200mm	-	-	-	-
SS0998KD/ED/FD	760 x 510 x 510mm	315 x 495 x 415mm Main compartment 145 x 495 x 395mm Internal Coffer	440mm	130kg	64 Litres Main Compartment 28 Litres Internal Coffer	50mm
DEPOSIT SLOT SS09	98 -	100 x 415 x 220mm	-	-	-	-

Door aperture of SS0996ED is reduced by 10mm due to frame and SS0998ED is reduced by 6mm. All weights are for the product only and does not include the packaging.

















Phoenix Safe Company where peace of mind is quaranteed





<sup>\*</sup> Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

## HS1090 SERIES DIAMOND DEPOSIT













**THE PHOENIX DIAMOND DEPOSIT SERIES** are designed for the safe deposit of large quantities of cash, without the normal reduction in security protection that can be associated with deposit safes. Ideal for retail stores, garage forecourts, banks and financial institutes.

- SECURITY PROTECTION Tested to the prestigious European EN1143-2:2014 Security standard, Grade D1 (ECB.S Certified) giving cash cover of £10,000 or valuables cover of £100,000.
- APPROVALS: UK Police approved (Secured by Design scheme) and the Association of Insurance Surveyors (AiS).
- SAFE DOOR LOCKING HS1090KD Fitted with a high security double bitted VdS class I key lock. HS1090ED – Fitted with a high security VdS class II electronic lock.
- DRAWER DEPOSIT High security pull out drawer deposit with special baffle drop system, for maximum security. Maximum deposit size H65mm x W205mm x D65mm. (Except HS1090).
- CONSTRUCTION Double wall composite construction, anti-drill plates and re-locker protection for the door provide a safe of great strength.

- FIXING Ready prepared for floor fixing, with fixing bolts for concrete floors supplied.
- COLOUR Finished in a high quality scratch resistant white paint RAL9003.
- GDPR Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	HANDLE DEPTH	CAPACITY	DEPOSIT Drawer
HS1090KD/ED	670 x 440 x 550mm	455 x 365 x 425mm	272mm	195kg	45mm	44 Litres	104 x 289 x 121mm



















\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



# **UF0600 SERIES TARVOS UNDERFLOOR SAFES (SQUARE DOOR)**







12" CUBE WITH DEPOSIT

**THE PHOENIX TARVOS (SQUARE DOOR) UF0600 SERIES** underfloor security safes have been designed to meet the requirements for a secure yet hidden safe, and comes with 4 different cash cover options.

- SECURITY PROTECTION The UF0600 Series come in two sizes, 9 inch and 12 inch cubes, providing cover from £2,000 cash up to £100,000 for valuables.
- LOCKING UF0620 Supplied with a high security 7 lever key lock. UF0640, UF0660 & UF0610 – Supplied with a high security double-bitted VdS Class I key-lock. Each unit is supplied with 2 keys.
- DOOR CONSTRUCTION UF0620 Hardened plate with an angled dead bolt. UF0640 hardened 6mm thick plate and 25mm diameter spring loaded front bolt and 25mm diameter dead bolt. UF0660 hardened 6mm thick plate and two 25mm diameter spring loaded front bolts, two 20mm diameter spring loaded re-lockers that will be set off if the lock is tampered with and a 25mm diameter dead bolt. UF0610 hardened 6mm thick plate and copper laminate between two 10mm mild steel plates to give ABP protection, two 25mm diameter spring loaded front bolts, two 20mm diameter spring loaded re-lockers that will be set off if the lock is tampered with and a 25mm diameter dead bolt.
- BODY CONSTRUCTION The neck is constructed of 5mm mild steel tube 4" high. 10mm thick mild steel top plate, 2mm thick mild steel body and 3mm thick mild steel base all with continuously welded seams.
- SPECIAL FEATURES UD0600KD comes complete with a deposit facility that incorporates an anti-fish device to prevent retrieval through the deposit tube and supplied with a selection of deposit capsules.
- INTERIOR The Tarvos has a fully flocked interior to protect valuables from damage.
- FIXING Fixing instructions are available to fit the unit into a solid concrete floor.
- COLOUR Finished in attractive gold hammer paint.

MODEL NUMBER	CASH COVER	WEIGHT	BODY Height	NECK HEIGHT	EXTERNAL HEIGHT	EXTERNAL WIDTH (WITH LIP)	EXTERNAL DEPTH (WITH LIP)	EXTERNAL BODY (WITHOUT LIP)	INTERNAL CUBE	CAPACITY	DOOR Opening
UF0621K	£2k	14.5kg	245mm	100mm	345mm	245mm	245mm	232mm	228mm³	11 Litres	168x168mm
UF0622K	£2k	21.5kg	312mm	100mm	412mm	320mm	320mm	300mm	294mm <sup>3</sup>	25 Litres	168x168mm
UF0623KD	£2k	22kg	312mm	100mm	412mm	320mm	320mm	300mm	294mm <sup>3</sup>	25 Litres	168x168mm
UF0641K	£4k	16kg	245mm	100mm	345mm	245mm	245mm	232mm	228mm³	11 Litres	168x168mm
UF0642K	£4k	22.5kg	312mm	100mm	412mm	320mm	320mm	300mm	294mm <sup>3</sup>	25 Litres	168x168mm
UF0643KD	£4k	23.5kg	312mm	100mm	412mm	320mm	320mm	300mm	294mm <sup>3</sup>	25 Litres	168x168mm
UF0661K	£6k	16.5kg	245mm	100mm	345mm	245mm	245mm	232mm	228mm³	11 Litres	168x168mm
UF0662K	£6k	23kg	312mm	100mm	412mm	320mm	320mm	300mm	294mm <sup>3</sup>	25 Litres	168x168mm
UF0663KD	£6k	23.5kg	312mm	100mm	412mm	320mm	320mm	300mm	294mm <sup>3</sup>	25 Litres	168x168mm
UF0611K	£10k	19.5kg	245mm	100mm	345mm	245mm	245mm	232mm	228mm³	11 Litres	168x168mm
UF0612K	£10k	26.5kg	312mm	100mm	412mm	320mm	320mm	300mm	294mm <sup>3</sup>	25 Litres	168x168mm
UF0613KD	£10k	27kg	312mm	100mm	412mm	320mm	320mm	300mm	294mm <sup>3</sup>	25 Litres	168x168mm

<sup>1.</sup> Dimensions of the deposit chutes are 100mm high x 56mm outside diameter x 50mm inside diameter.

<sup>2.</sup> Plastic capsules that come with the deposit safes measure 107mm high x 36mm outside diameter. All weights are for the product only and does not include the packaging.



















<sup>\*</sup> Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

# UF0900 SERIES CHARON UNDERFLOOR SAFES (ROUND DOOR)









9" CUBE 12" CUBE 12" CUBE 12" CUBE WITH DEPOSIT

**THE PHOENIX CHARON (ROUND DOOR) UF0900 SERIES** underfloor security safes have been designed to meet the requirements for a secure yet hidden safe, and comes with 4 different cash cover options.

- SECURITY PROTECTION The UF0900 Series come in two sizes, 9 inch and 12 inch cubes, providing cover from £4,000 cash up to £175,000 for valuables.
- LOCKING Supplied with a high security double-bitted VdS Class I key-lock and supplied with two keys.
- DOOR CONSTRUCTION UF0940 & UF0960 25mm thick high quality mild steel. UF0910 37mm thick high quality mild steel with copper laminate between two pieces of 10mm mild steel providing ABP protection. UF0970 45mm thick high quality stainless steel with copper laminate between two pieces of 15mm stainless steel providing ABP protection. All units have hardened dowels and balls protecting moving parts with a hardened 6mm back plate.
- BODY CONSTRUCTION The neck is constructed of 6mm mild steel tube 4" high on the UF0940, UF0960 & UF0910 and 6" high on the

- **UF0970** safes. 10mm thick mild steel top plate, 2mm thick mild steel body and 3mm thick mild steel base all with continuously welded seams.
- SPECIAL FEATURES UD0900KD comes complete with a deposit facility that incorporates an anti-fish device to prevent retrieval through the deposit tube and supplied with a selection of deposit capsules.
- INTERIOR The Charon has a fully flocked interior to protect valuables from damage.
- FIXING Fixing instructions are available to fit the unit into a solid concrete floor.
- COLOUR Finished in attractive red paint.

MODEL NUMBER	CASH COVER	WEIGHT	BODY Height	NECK HEIGHT	EXTERNAL HEIGHT	EXTERNAL WIDTH (WITH LIP)	EXTERNAL Depth (With Lip)	EXTERNAL BODY (WITHOUT LIP)	INTERNAL CUBE	CAPACITY	DOOR Opening
UF0941K	£4k	15kg	245mm	100mm	345mm	245mm	245mm	232mm	228mm³	11 Litres	140mm DIA
UF0942K	£4k	21.5kg	312mm	100mm	412mm	320mm	320mm	300mm	294mm <sup>3</sup>	25 Litres	140mm DIA
UF0943KD	£4k	22.5kg	312mm	100mm	412mm	320mm	320mm	300mm	294mm <sup>3</sup>	25 Litres	140mm DIA
UF0961K	£6k	15.5kg	245mm	100mm	345mm	245mm	245mm	232mm	228mm <sup>3</sup>	11 Litres	140mm DIA
UF0962K	£6k	22kg	312mm	100mm	412mm	320mm	320mm	300mm	294mm <sup>3</sup>	25 Litres	140mm DIA
UF0963KD	£6k	23kg	312mm	100mm	412mm	320mm	320mm	300mm	294mm <sup>3</sup>	25 Litres	140mm DIA
UF0911K	£10k	17kg	245mm	100mm	345mm	245mm	245mm	232mm	228mm <sup>3</sup>	11 Litres	140mm DIA
UF0912K	£10k	23.5kg	312mm	100mm	412mm	320mm	320mm	300mm	294mm <sup>3</sup>	25 Litres	140mm DIA
UF0913KD	£10k	24.5kg	312mm	100mm	412mm	320mm	320mm	300mm	294mm <sup>3</sup>	25 Litres	140mm DIA
UF0972K	£17½k	25.5kg	312mm	150mm	462mm	320mm	320mm	300mm	294mm <sup>3</sup>	25 Litres	140mm DIA
UF0973KD	£17½k	26.5kg	312mm	150mm	462mm	320mm	320mm	300mm	294mm <sup>3</sup>	25 Litres	140mm DIA

- 1. Dimensions of the deposit chutes are 100mm high x 56mm outside diameter x 50mm inside diameter.
- 2. Plastic capsules that come with the deposit safes measure 107mm high x 36mm outside diameter. All weights are for the product only and does not include the packaging.



















<sup>\*</sup> Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.




# **GS8000 SERIES LACERTA GUN SAFES**

THE PHOENIX LACERTA SERIES is a range of high quality gun safes designed for the secure storage of 1, 3 or 6 guns.


- **SECURITY PROTECTION** Meets British Standard BS7558/92. 100% Police Approved.
- NO. OF GUNS -
  - GS8000K = 1
  - GS8001K = 3
  - GS8002K = 6
- LOCKING Two high security 7 lever locks supplied with two double bitted keys.
- **CONSTRUCTION** Galvanised steel body and door. High density foam divider and floor mat.
- **FIXING** Ready prepared for fixing to the floor or wall, with fixing bolts supplied.
- **COLOUR** Finished in a high quality durable metallic graphite paint.



MODEL Number	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	NUMBER OF GUNS	WEIGHT
GS8000K	1300 x 200 x 150mm	1290 x 195 x 120mm	1	22kg
GS8001K	1300 x 220 x 200mm	1290 x 215 x 165mm	3	23kg
GS8002K	1300 x 350 x 300mm	1290 x 345 x 265mm	6	35kg









# **GS8015 SERIES TUCANA GUN SAFES**



**THE PHOENIX TUCANA SERIES** is a range of high quality gun safes designed for the secure storage of 3, 5 or 7 guns.

- SECURITY PROTECTION Meets British Standard BS7558/92. 100% Police Approved.
- CERTIFICATION European EN14450 S1 certified giving cash cover of £2,000 or valuables cover of £20,000.\*
- NO. OF GUNS –

GS8015K = 3

GS8016K = 5


GS8017K = 7

- LOCKING High security 7 lever lock supplied with 2 double bitted Class I keys, 3 way locking bolts.
- AMMO BOX Internal ammunition box (2 keys supplied).
- CONSTRUCTION Galvanised steel body and door. High density foam divider and floor mat.
- FIXING Ready prepared for fixing to the floor or wall, with fixing bolts supplied.
- COLOUR Finished in a high quality durable metallic graphite paint.





MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D		NUMBER OF GUNS	WEIGHT	AMMO BOX DIMENSIONS
GS8015K	1450 x 210 x 280mm	1440 x 205 x 230mm	3	47kg	145 x 200 x 185mm
GS8016K	1450 x 255 x 345mm	1440 x 250 x 295mm	5	57kg	145 x 250 x 250mm
GS8017K	1450 x 375 x 345mm	1440 x 370 x 295mm	7	69kg	145 x 370 x 250mm



<sup>121</sup> 



<sup>\*</sup> Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



# **GS8020 SERIES**RIGEL GUN SAFES







0021K 030023 030K

THE PHOENIX RIGEL SERIES is a range of high quality gun safes designed for the secure storage of 5, 8 or 14 guns.

- SECURITY PROTECTION Meets British Standard BS7558/92.
   100% Police Approved.
- CERTIFICATION Tested to the prestigious European EN1143-1 Security standard. Grade I, has a recommended insurance rating of £10,000 cash or £100,000 valuables\*.
- FIRE PROTECTION Tested to the European LFS 30P standard (EN15659) giving 30 minutes fire protection for paper records.
- NO. OF GUNS -
  - GS8021K/E = 5
  - GS8023K/E = 8
  - GS8025K/E = 14
- AMMO BOX Internal ammunition box with cylinder lock (2 keys supplied). Removeable if required.

- LOCKING High security 8 lever lock supplied with 2 double bitted Class 1 keys or VdS class II electronic lock with dual control, master code & time delay.
- CONSTRUCTION Galvanised steel body and door with 3 way locking bolts, high density foam divider, floor mat and round external handle.
- FIXING Ready prepared for fixing to the floor or wall, with fixing bolts supplied.
- COLOUR Finished in a high quality durable metallic graphite paint.
- Suitable for storage of controlled drugs whose active ingredients exceed 500 grams.

MODEL Number	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	AMMO BOXES H x W x D	NUMBER OF GUNS	WEIGHT
GS8021K/E	1515 x 400 x 385mm	1400 x 285 x 230mm	120 x 280 x 195mm	5	160kg
GS8023K/E	1650 x 570 x 450mm	1530 x 455 x 300mm	200 x 450 x 260mm	8	235kg
GS8025K/E	1650 x 870 x 450mm	1530 x 760 x 300mm	200 x 755 x 260mm	14	325kg

<sup>\*</sup>Ammo box reduces the internal height of the safe by 150mm for the GS8021 and by 230mm for the GS8023 & GS8025. All weights are for the product only and does not include the packaging.

















<sup>\*</sup> Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

# **CB0100 SERIES CASH BOXES**





A sturdy range of conveniently sized cash boxes for domestic or office use.

- LOCKING Fitted with a high quality key lock supplied with two keys.
- SIZES Three different sizes available to suit every need.
- FEATURES Supplied with plastic divider tray for coins and notes and convenient external carrying handle.
- COLOUR Finished in a high quality scratch resistant powder coat red paint.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D
CB0101K	90 x 200 x 160mm
CB0102K	90 x 250 x 180mm
CB0103K	90 x 300 x 240mm





### **KC0020 SERIES KEY BOXES**







A high quality range of key boxes with capacities ranging from  $20\mbox{-}93$  keys. Ideal for the home or office.

- LOCKING Fitted with a high quality key lock supplied with two keys.
- FIXING Ready prepared for fixing to the wall with fixings supplied.
- COLOUR Finished in a high quality scratch resistant powder coat grey paint.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	KEY Hooks
KC0026K	200 x 160 x 80mm	20 keys
KC0027K	250 x 180 x 80mm	48 keys
KC0028K	300 x 240 x 80mm	93 keys













KS0003C Key Store with weatherproof cover

**THE PHOENIX KS Series** gives you control of door keys, padlock keys, car keys etc. in an attractive secure location that can be easily mounted to a wall. Ideal for house rental/Airbnb, social care & homes, offices, schools, factories, construction sites and much more.

- LOCKING Simple to change 4 digit dial combination lock (KS0001C) and easy to use changeable push button lock (KS0003C).
- FIXING Ready prepared for wall fixing (bolts supplied).
- CONSTRUCTION High strength cast alloy.
- FEATURES Internal magnetic hook (KS0001C) and full weatherproof rubber cover (KS0003C).

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	WEIGHT
KS0001C	100 x 65 x 35mm	0.4kg
KS0003C	140 x 95 x 70mm	0.85kg
















### KS0210 SERIES PALM





**THE PHOENIX PALM** is a high quality smart key safe, ideal for House Rentals/Airbnb, Social Care, Homes, Parcel Deliveries, Offices, Schools, Factories, Construction Sites and much more with its Mobile App Control. An easier way to manage your keys, and enjoy your life with peace of mind.

#### **LOCK & UNLOCK FEATURES**

- KEYPAD: Clear illuminating keypad, making use at night extremely easy and convenient.
- ADMINISTRATOR UNLOCK: Set a master administrator code for unlocking, settings and operations. Only the administrator can change the administrator pass code.
- USER UNLOCK: Up to 100 user pin codes for your family, friends and visitors.
- AUTO LOCKING: Simply close the keybox when finished and it automatically locks.

#### MOBILE APP CONTROL


- BLUETOOTH: Quick and easy One touch unlock using the smart app.
- REMOTE CODE GENERATION: Generate one time code (OTC) or time window code for schedule access all remotely via the mobile app. No Wi-Fi connection required. Once you have generated the code you can share it by text or email. Ideal for rentals, cleaners, maintenance etc.
- MOBILE ADMINISTRATOR: Using Bluetooth and the smart App you can program your lock with users, time windows and also view the audit trail for full control and peace of mind.
- OTA: Easily keep your lock on the latest software version, simply connect via Bluetooth and use the software update feature.

#### **POWER**

 BATTERIES: Powered by 4 x AAA batteries with minimum 12 month usage when using high quality Alkaline.

MODEL NUMBER	EXTERNAL DIMENSIONS (Diameter x Depth)	INTERNAL DIMENSIONS H x W x D	WEIGHT
KS0211E	100 x 50mm	60 x 90 x 15mm	0.5kg
KS0212EC	100 x 50mm	60 x 90 x 15mm	0.6kg
KS0213ES	100 x 50mm	60 x 90 x 15mm	0.6kg


\*KS0212EC = 900mm Steel Cable / KS0213ES – Add 95mm in height with Padlock Shackle Added All weights are for the product only and does not include the packaging.



0 NE TIME CODE \*\*\*







 LOW CONSUMPTION: The lock uses BLE Broadcasting that turns to sleep mode when not in use.

#### **FIXING**

- PERMANENT: Supplied ready prepared to be securely fixed to a suitable wall with fixings for Brick and concrete included.
- QUICK RELEASE: Supplied with a unique 'quick-release' wall mount bracket that allows you to remove the Palm to take with you for use as a portable lock box or cabled padlock using optional high strength cable tether.

#### WATER RESISTANCE

■ IP65 resistance rating, providing airtight protection against the weather.

#### CONSTRUCTION

- Strong 2.5mm thick body and durable Zinc Alloy construction. Able to operate in temperatures between -45°C to 60°C.
- KS0212EC Supplied with a 900mm long stainless steel security cable (with outer coating to prevent scratching) to secure around a fixed object.
- KS0213ES Supplied with a SUS 304 Steel Padlock Shackle (with vinyl coating to prevent scratching) to secure around a fixed object. Shackle is 95mm in length with a 35mm width clearance.

#### FINISH

Finished in a high quality anti-corrosion Black powder coat.




NO WI-FI CONNECTION REQUIRED





# KS0030 SERIES CYGNUS KEY DEPOSIT SAFES



**THE PHOENIX CYGNUS SERIES OF KEY DEPOSIT SAFES** are available in capacities of 30-700 keys and all come with a key deposit facility. Ideal for home, office, schools, garages and office blocks.

- LOCKING Advanced 'user friendly' electronic locking with antitamper or bounce solenoid locking system. For added peace of mind these safes are fitted with a key override facility should the code be misplaced (2 keys supplied).
- SECURITY When bolted to a wall these key safes provide defence against burglaries aimed at stealing car keys, house keys etc.
- FIXING Ready prepared for fixing to the wall with bolts supplied.
- SPECIAL FEATURES Key deposit slot, allowing keys to be deposited without the need to open the safe.
- KEY TAGS Supplied complete with a selection of coloured key rings
- COLOUR Finished in a high quality scratch resistant white paint RAL9003.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DEPOSIT SLOT H x W x D	WEIGHT	KEY Hooks
KS0031E	280 x 300 x 100mm	275 x 295 x 80mm	55 x 45 x 25mm	6.5kg	30
KS0032E	360 x 300 x 100mm	350 x 275 x 80mm	55 x 45 x 25mm	7.5kg	48
KS0033E	660 x 430 x 130mm	655 x 425 x 110mm	55 x 45 x 25mm	20kg	144
KS0034E	755 x 580 x 250mm	745 x 570 x 230mm	55 x 45 x 25mm	43kg	300
KS0035E	760 x 580 x 280mm	750 x 570 x 260mm	55 x 45 x 25mm	46kg	500
KS0036E	760 x 580 x 330mm	750 x 570 x 310mm	55 x 45 x 25mm	49kg	700





### KS0040 SERIES FORTRESS KEY SAFES















KS0043K

THE PHOENIX FORTRESS KS0040 SERIES KEY SAFES are designed and tested to the latest and prestigious European test standards for Security Protection.

- SECURITY PROTECTION Tested to the prestigious European S2 Security standard (EN14450 – ECB.S Certified) giving cash cover of £4,000 or Valuables cover of £40,000.
- **APPROVALS** UK Police approved (Secured by Design scheme) and the Association of Insurance Surveyors (AiS).
- LOCKING KS0040K Fitted with a high security double bitted VdS class I key lock. KS0040E – Fitted with a high security VdS class II electronic lock with time delay, dual code function & multiple user codes.
- CONSTRUCTION Double wall construction with anti-drill plates and re-locker protection for the door provide a safe of great strength.
- FIXING Ready prepared for floor or wall fixing, with fixing bolts for concrete floors or brick walls supplied.
- COLOUR Finished in a high-quality scratch resistant White paint RAL9003.
- Suitable for storage of controlled drugs whose active ingredients do not exceed 500 grams.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	WEIGHT	KEY Hooks
KS0041K/E	300 x 450 x 245	220 x 365 x 128mm	22kg	42
KS0042K/E	600 x 450 x 245	520 x 365 x 128mm	37kg	132
KS0043K/E	1000 x 450 x 245	920 x 365 x 128mm	58kg	240

This information is provided as a guide only. Actual capacities may vary depending on the storage method or shelving used. All weights are for the product only and does not include the packaging.


















<sup>\*</sup> Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



# KC0600 SERIES COMMERCIAL KEY CABINETS



A series of high quality Key Cabinets ranging from 42 hook up to 600 hook units.

- LOCKING KC0600K Manufactured with a high quality cylinder lock supplied with 2 keys.
  - **KC0600E** Fitted with a high quality electronic code lock, programmable with users own 4 digit code which can easily be changed when required.

**KC0600N** – Fitted with the NetCode 1000 lock allowing temporary access to the cabinets via the web-based NetCode Portal. NetCode is activated prior to the lock owner shipping and installing at a remote site. The NetCode Portal allows you to register and set up your account, activate your locks and generate time-sensitive codes. Using time-sensitive codes is a more secure way to grant access as the code will not work outside a designated timeslot. Generated codes can be sent by email or SMS to any email account or mobile phone.

- SPECIAL FEATURES Each unit comes with adjustable hook bars and number labels to suit. The 400 and 600-hook units are double door cabinets.
- FIXING The cabinets have pre-drilled fixing holes for wall mounting.
- FINISH Finished in a high quality durable powder coated finish.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	WEIGHT	KEY Hooks
KC0601K/E/N	350 x 270 x 80mm	4kg	42
KC0602K/E/N	450 x 300 x 80mm	6kg	64
KC0603K/E/N	550 x 380 x 80mm	7kg	100
KC0604K/E/N	550 x 380 x 140mm	11kg	200
KC0605K/E/N	550 x 380 x 205mm	14kg	300
KC0606K/E/N	550 x 730 x 140mm	20kg	400
KC0607K/E/N	550 x 730 x 205mm	28kg	600











All weights are for the product only and does not include the packaging.

KC0600K

KC0600E/N

### KC0300 SERIES DEEP KEY CABINETS



#### THE PHOENIX DEEP KEY

CABINETS have been designed to accommodate larger or more bulky keys, which make them ideal for the motor trade or estate agents, where larger keys or more than one key is used.







- LOCKING KC0300K Manufactured with a high quality cylinder lock supplied with 2 keys. KC0300E An economical Electronic Code lock. A simple 10 digit keypad gives the owner the option of entering 4-digit codes, and is easy to use. KC0300M A Mechanical push button combination code lock. The lock has over 8,000 combination differs, and comes with a push-shut latch operation.
- SPECIAL FEATURES Each unit comes complete with adjustable hook bars, key tabs, key rings, number labels to suit the hook bars and removable control indexes.
- FIXING The cabinets have pre-drilled fixing holes for wall mounting.









MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR Swing	WEIGHT	KEY Hooks
KC0301K/E/M	350 x 380 x 140mm	348 x 378 x 138mm	340mm	5kg	50
KC0302K/E/M	550 x 380 x 140mm	548 x 378 x 138mm	360mm	10kg	100
KC0303K/E/M	550 x 730 x 140mm	548 x 728 x 138mm	365mm	17kg	200

All weights are for the product only and does not include the packaging.

### **KC0500 SERIES DEEP PLUS & PADLOCK KEY CABINETS**

#### THE PHOENIX DEEP PLUS & PADLOCK KEY CABINETS

have been designed to accommodate larger bunches of keys or padlocks. Each hook is longer, double spaced and staggered, to give the required space for this application.

- LOCKING KC0500K Manufactured with a high quality cylinder key lock supplied with 2 keys.
  KC0500E Economical Electronic Code lock with a simple 10 digit keypad gives the owner the option of entering 4-digit codes, and is easy to use. KC0500M Mechanical push button combination code lock. The lock has over 8,000 combination differs, and comes with a push-shut latch operation.
- SPECIAL FEATURES Each unit comes complete with adjustable hook bars, key tabs, key rings, labels to suit the hook bars and removable control indexes.
- FIXING The cabinets have pre-drilled fixing holes for wall mounting.





FINISH – Finished in a durable powder coated finish.



KC0500K







MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	KEY Hooks
KC0501K/E/M	350 x 380 x 140mm	348 x 378 x 138mm	340mm	6kg	24
KC0502K/E/M	550 x 380 x 140mm	548 x 378 x 138mm	360mm	10kg	50
KC0503K/E/M	550 x 730 x 140mm	548 x 728 x 138mm	360mm	17kg	100



# KC0070 SERIES EXTRA SECURITY KEY CABINETS



THE PHOENIX EXTRA SECURITY KEY CABINETS are high quality Key Cabinets ranging from 50 hooks up to 1500 hook units.

- LOCKING KC0070K Fitted with a high quality half euro cylinder lock and supplied with 3 keys. KC0070E Fitted with a high quality electronic lock with key override facility. Tested in accordance with BS EN1634-1 2008. Programmable with a 4-6 digit code and can store up to 80 user codes. Tamper time out and low battery warning. KC0070M Fitted with a high quality mechanical push button combination lock. Tested in accordance with BS EN1634-1 2008. The lock has over 8,000 combination differs.
- CONSTRUCTION Solid square cornered construction and 2.5mm thick steel plate.
- SPECIAL FEATURES Each unit comes with adjustable hook bars, key tags, rings, labels and a removable control index. The KC0076 & KC0077 are two large freestanding units with 1000 & 1500 key hooks, 180 degree door opening and Safe style hinges.
- FIXING The cabinets have pre-drilled fixing holes for wall mounting.
- FINISH Finished in a high quality durable powder coated finish.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	WEIGHT	KEY Hooks
KC0071K/E/M	350 x 380 x 80mm	11kg	50
KC0072K/E/M	550 x 380 x 80mm	17kg	100
KC0073K/E/M	550 x 380 x 140mm	24kg	200
KC0074K/E/M	550 x 730 x 140mm	35kg	400
KC0075K/E/M	550 x 730 x 205mm	45kg	600
KC0076K/E/M	1300 x 730 x 250mm	110kg	1000
KC0077K/E/M	1500 x 730 x 250mm	130kg	1500













KEY LOCK

ELECTRONIC LOCK

MECHANICAL LOCK



# KC0080 SERIES KEY CONTROL CABINETS





KC0081





THE PHOENIX KEY CONTROL CABINETS are high quality Key Cabinets providing mechanical access control for keys.

- NO. OF RETENTION PEGS 25, 50 or 100.
- **NO. OF KEY HOOKS** 10, 30 or 50.
- **LOCKING KC0080M** Fitted with a high quality mechanical push button combination lock. Tested in accordance with BS EN1634-1 2008. The lock has over 8,000 combination differs. KC0080E – Fitted with a high quality electronic lock with key override facility. Tested in accordance with BS EN1634-1 2008. Programmable with a 4-6 digit code and can store up to 80 user codes. Tamper time out and low battery warning.
- **CONSTRUCTION** Solid square body construction with 2.5mm thick steel body and 3mm door.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	WEIGHT	RETENTION PEGS	ACCESS PEGS	KEY Hooks
KC0081M/E	310 x 550 x 210mm	18kg	25	10	10
KC0082M/E	490 x 550 x 210mm	28kg	50	25	30
KC0083M/E	850 x 550 x 210mm	45kg	100	50	50

All weights are for the product only and does not include the packaging.





- SPECIAL FEATURES Peg in, peg out key control board for added key accountability. Supplied with colour coded square key tags. Extra key hooks on the door.
- FIXING The cabinets have pre-drilled fixing holes for wall mounting.
- FINISH Finished in a high quality durable powder coated finish.





MECHANICAL LOCK

**ELECTRONIC LOCK** 





# MB0120 SERIES ESTILO LETTER BOXES














THE ESTILO MB0120 SERIES is a range of secure, ultra stylish letter boxes. Durable and attractive, the Estilo range is ideal for the modern home.

- **LOCKING** Fitted with a high quality key-lock and supplied with 3 keys.
- FIXING Suitable for wall mounting with pre-drilled holes and fixings supplied.
- CONSTRUCTION A heavy duty construction allows a lengthier product lifespan when compared to other thinner-walled letter boxes.
- SPECIAL FEATURE Newspaper holder at the base. MB0125KS has a light panel that illuminates your house number at night (numbers provided), powered by solar energy with rechargeable battery backup.
- FINISH A zinc galvanised coating prevents oxidation of the letter box and gives it a corrosion resistant, weather-proof and rust proof finish.
- COLOUR Finished in a high quality graphite grey powder coating (MB0121KA & MB0122KA), stainless steel (MB0123KS, MB0124KS & MB0125KS) or wood finish (MB0126KW).

MODEL NUMBER	LOADING	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	LETTERSLOT H x W	NEWSPAPER HOLDER V H x W x D	WEIGHT
MB0121KA	Top Loading	370 x 370 x 105mm	255x360x90mm	35x335mm	90x365x80mm	3kg
MB0122KA	Front Loading	450x350x105mm	315x330x90mm	38x325mm	90x365x80mm	3kg
MB0123KS	Top Loading	370x370x105mm	255x360x90mm	35x335mm	90x365x80mm	3kg
MB0124KS	Top Loading	370x370x105mm	255x360x90mm	35x335mm	90x365x80mm	3kg
MB0125KS	Top Loading	370x370x105mm	255x360x90mm	35x335mm	90x365x80mm	3kg
MB0126KW	Top Loading	410x370x130mm	400x360x120mm	30x335mm	90x365x80mm	3kg





















Newspaper holder

# PB0580 SERIES PARCEL BOX





THE PHOENIX PB0580 SERIES PARCEL BOX is an all-weather outdoor smart parcel deposit box for receiving and securing multiple home delivery parcels. Ideal for busy households. Never miss a parcel delivery again with an easy to use, medium size parcel box.

- PACKAGES PB0581BK Able to receive packages up to 320x200x120mm. PB1331AAK & PB1331AWK – Able to receive packages up to 365x250x130mm.
- SMART SYSTEM Features a unique barcode that can be scanned or recorded as proof of delivery by the courier, if required.
- WATER RESISTANCE Designed to protect your parcels from all weather conditions with a sloped overhang top and a rust resistant, weather proof powder coating.
- LOCKING Fitted with high quality key lock (2 keys supplied).
- CONSTRUCTION Manufactured from a strong galvanised steel.
- SPECIAL FEATURES Fitted with a built in 'Anti-Fishing' device.
   Your parcels are locked within the lower compartment, only allowing you to retrieve them with your key.
- ASSEMBLY PB0581BK is supplied Flatpacked for easy selfassembly. Assembly kit supplied. PB1331's are supplied fully built.

- FIXING Designed to be fixed and secured to a wall or to the floor (fixtures & fittings supplied).
- COLOUR Finished in a high quality powder coating. PB1331AAK in graphite grey. PB1331AWK in graphite grey with wood effect and PB0581BK in black.



MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	WEIGHT	CAPACITY
PB0581BK	580 x 440 x 350mm	510 x 408 x 295mm	12.5kg	61 Litres
PB1331AAK	580 x 450 x 350mm	385 x 325 x 300mm	15kg	42 Litres
PB1331AWK	580 x 450 x 350mm	385 x 325 x 300mm	15kg	42 Litres























### SAY HELLO WE ARE HERE TO HELP



Sales@bi-direct.co.uk

∰ www.bi-direct.co.uk

Unit 4 Dore House Business Park, 19 Orgreave Place Sheffield, South Yorkshire, S13 9LU